PRAKTIK TOOLS



2022/2023



Company LIKOS Ltd. was founded in 1993. The main activity of the company is wholesale and distribution of electric tools, hand tools, garden machines and tools, and other related equipment. Through continuous development, a proper strategy, joint efforts of all employees, quality relations with customers and suppliers, we have become one of the leading distributors in Croatia and the region.

Mission - development and offer of a wide range in the optimal price/quality ratio, top service of all employees, in order to become the preferred supplier of our partners and the primary choice of end customers.

The backbone of the business is its own PRAKTIK brand, whose share in the total turnover is over 80%. The assortment of the PRAKTIK brand is divided into 6 categories:

PRAKTIK TOOLS	Blue line of DIY power tools at a great price.
PRAKTIK TOOLS	Q line of power tools for do-it-yourselfers and demanding do-it-yourself professionals.
PRAKTIK GARDEN	A wide range of garden machines, accessories and equipment for garden and agriculture.
PRAKTIK WATER	Assortment of submersible pumps, submersible deep pumps, hydropacks, garden pumps, watering accessories.
PRAKTIK	A wide range of tools and accessories for home, workshop and garage.
PRAKTIK	A complete range of accessories for power tools.

The complete program from the aspect of assortment selection, product design and packaging was designed by our experts based on a continuous analysis of the market and sales trends, in order to be able to satisfy the most demanding needs of our customers. Production takes place in carefully selected factories that are under strict control and supervision of the quality of our products.
In addition to the assortment under our own brand, thanks to a developed sales network, we distribute several well-known brands: BISON, UHU, TESA, MUNGO, ALVE.

Tvrtka LIKOS d.o.o. osnovana je 1993. godine. Osnovna djelatnost tvrtke je veleprodaja i distribucija električnih alata, ručnih alata, vrtnih strojeva i alata, te ostale popratne opreme. Kontinuiranim razvojem, pravilnom strategijom, zajedničkim snagama svih zaposlenika, kvalitetnim odnosom sa kupcima i dobavljačima, postali smo jedan od vodećih distributera u Hrvatskoj i regiji.

Misija – razvoj i ponuda širokog asortimana u optimalnom odnosu cijene i kvalitete, vrhunska usluga svih zaposlenika, kako bi postali preferirani dobavljač naših partnera i primarni izbor krajnjih kupaca.

Okosnicu poslovanja čini vlastita robna marka PRAKTIK, čiji udio u ukupnom prometu iznosi preko 80%. Asortiman branda PRAKTIK dijeli se u 6 kategorija:

PRAKTIK TOOLS	Plava linija električnih alata za uradi sam majstore po izvrsnoj cijeni.
PRAKTIK TOOLS	Q linija električnih alata za uradi sam majstore i zahtjevne uradi sam profesionalce.
PRAKTIK GARDEN	Široki asortiman vrtnih strojeva, pribora i opreme za vrt i poljoprivredu.
PRAKTIK WATER	Asortiman potopnih pumpi, dubinskih pumpi, hidropaka, vrtnih pumpi, pribora za polijevanje.
PRAKTIK	Široki asortiman alata i pribora za dom, radionicu i garažu.
PRAKTIK	Kompletan asortiman pribora za električne alate.

Kompletan program s aspekta izbora asortimana, dizajna proizvoda i pakiranja osmišljen je od strane naših stručnjaka na osnovu kontinuirane analize tržišta i prodajnih trendova, kako bi mogli udovoljiti i najzahtjevnijim potrebama naših kupaca. Proizvodnja se odvija u pomno odabranim tvornicama koje su pod strogom kontrolom i nadzorom kvalitete naših proizvoda.
Pored asortimana pod vlastitom robnom markom, zahvaljujući razvijenoj prodajnoj mreži vršimo distribuciju nekoliko poznatih brandova: BISON, UHU, TESA, MUNGO, ALVE.

ZAŠTO PRAKTIK TOOLS?

Svi Praktik Tools alati su podvrgnuti kontroli kvalitete koju pomno nadziremo

PERFORMANSE

Praktik Tools alati imaju performanse kojima ćete sve vaše projekte uspješno odraditi, bilo da se radi o povremenom ili višednevnom korištenju u ostvarivanju vaših projekata. Uz performanse koje su uobičajene za segment alata u svim kategorijama, Praktik Tools alati pružaju i performanse koje se odlikuju u velikoj snazi, indikatorima napunjenosti kod baterijskog alata, elektronikama s potenciometrima za odabir prikladne snage ili brzine, antivibracijskim ručkama za ugodan rad i slično. S Praktik Tools alatima svi vaši projekti bit će kvalitetno obrađeni, montirani ili izrađeni.

SERVIS

PRAKTIK TOOLS IMA VLASTITI SERVISNI CENTAR

Stručno i tehnički osposobljeni djelatnici servisa riješit će svaki problem koji se pojavi vezan za Praktik Tools alate. U našoj tehničkoj podršci možete dobiti i savjete o upotrebi i namjeni svakog pojedinog alata te ostale korisne savjete. Uvijek nas možete kontaktirati kako biste dobili traženu informaciju, a na sve vaše upite odgovorit ćemo u najkraćem mogućem roku.

DIZAJN

U prošlosti su alati prvenstveno bili konstruirani da obave osnovnu funkciju. Danas se prilikom konstrukcije razmišlja o dizajnu - izgledu alata, ali poseban naglasak se stavlja i na ergonomiju. Sa svim našim alatima koji su dizajnerski funkcionalno riješeni, korisnik uz performanse dobiva i izuzetnu lakoću korištenja te je zamor sveden na najmanju moguću mjeru i kod dužeg korištenja Prakti Tools alata.

KVALITETA

Uz konstantan napredak u izradi s praćenjem novih tehnologija, Praktik Tools alati spadaju u sam vrh hobi i poluprofesionalnog segmenta alata. Korištenjem provjerenih i kvalitetnih materijala i komponenti u izradi, korisniku pružamo kvalitetu za duže eksploatacijsko razdoblje. Svi Praktik Tools alati su podvrgnuti kontroli kvalitete i pomno se nadziru.

WHY PRAKTIK TOOLS?

PERFORMANCE

Praktik Tools products have performance that will help you finish your projects successfully, whether it's occasional or everyday use. In addition to the performance that is common for the tool segment in all categories, Praktik Tools products also provide performance that is characterized by high power, charge indicators for battery tools, electronics with potentiometers for selecting suitable power or speed, anti-vibration handles for comfortable work, and many more features. With Praktik Tools products, all your projects will be quality processed, assembled or manufactured.

SERVICE

PRAKTIK TOOLS HAS ITS OWN SERVICE CENTER

Professionally and technically trained service employees will solve any problem that arises related to Praktik Tools products. In our technical support, you can also get advice on the use and purpose of each individual tool, as well as other useful tips. You can always contact us to get the requested information and we will answer all your inquiries as soon as possible.

DESIGN

In the past, tools were primarily designed to perform a basic function. Today, during construction, one thinks about the design - the appearance of the tool, but a special emphasis is also placed on ergonomics. With all our tools, which are designed with oprimal functionality, the user gets exceptional ease of use in addition to the performance and fatigue is reduced to a minimum even during prolonged use of Prakti Tools products.

QUALITY

With constant progress in production and monitoring of new technologies, Praktik Tools products belong to the very top of the DIY and semi-professional segment of tools. By using proven and high-quality materials and components in production, we provide the user with quality for a longer exploitation period. All Praktik Tools tools undergo quality control and are closely monitored.

PRAKTIK TOOLS | PRAKTIK TOOLS | PRAKTIK WATER

SADRŽAJ / CONTENT

PRAKTIK TOOLS - FLEXPOWER

AKU UDARNE BUŠILICE/ODVIJAČI
CORDLESS IMPACT DRILLS/DRILS
PTQ092 11
PTQ093 11
PTQ094 12
PTQ095 12
PTQ018 13
PTQ028 13
PTQ091 14
PTQ119 14
PTQ026 16
PTQ036 17
PTQ102 17
PTQ096 18
PTQ114 18
PTQ013 20
PTQ112 20

AKU KUTNE BRUSILICE
CORDLESS ANGLE GRINDERS
PTQ027 22
PTQ025 22
PTQ029 23
PTQ104 23

AKU UDARNI ČEKIĆI
CORDLESS HAMMER DRILLS
PTQ031 27
PTQ103 27
PTQ111 28
PTQ115 28

AKU ROTACIONA BRUSILICA
CORDLESS ROTATING SANDER
PTQ072 29
PTQ109 29

AKU U BODNA PILA
CORDLESS JIG SAW
PTQ042 30
PTQ105 30

AKU PILA LISIČJI REP
CORDLESS RECIPOCATING SAW
PTQ043 31
PTQ106 31

AKU RUČNI CIRKULAR
CORDLESS CIRCULAR SAW
PTQ061 32
PTQ107 32

AKU LAMPA
CORDLESS LAMP
PTQ099 34
PTQ116 34

AKU USISAVAČ
CORDLESS DRY VACCUM CLEANER
PTQ110 35

AKU KOSILICA
CORDLESS LAWN MOWER
PTQ122 37
PTQ123 37

AKU TRIMER ZA TRAVU
CORDLESS GRASS TRIMMER
PTQ120 38
PTQ121 38

AKU TELESKOPSKA LANČANA PILA
CORDLESS POLE CHAIN SAW
PTQ047 39
PTQ113 39

AKU LANČANA PILA
CORDLESS CHAIN SAW
PTQ098 40
PTQ117 40

AKU ŠKARE ZA ŽIVICU
CORDLESS HEDGE TRIMMER
PTQ046 41
PTQ108 41

AKU ŠKARE ZA OBREZIVANJE
CORDLESS PRUNING SHEARS
PTQ097 42
PTQ118 42

BATERIJE I PUNJAČI
BATTERIES AND CHARGERS
PTQB20 44
PTQB30 44
PTQB40 44
PTQB60 44
PTQB41 44
PTQ124 45
PTQ100 45
PTQ125 45
PTQ126 46
PTQ127 46
PTQ128 46
PTQC01 47
PTQC02 47
PTQC03 47

PRAKTIK TOOLS - Q LINE

KUTNE BRUSILICE
ANGLE GRINDERS
PTQ020 52
PTQ021 52
PTQ022 53
PTQ023 53
PTQ024 54

AKU ODVIJAČ
CORDLESS SCREWDRIVER
PTQ014 56

UDARNE BUŠILICE
IMPACT DRILLS
PTQ010 56
PTQ011 57

UDARNI ČEKIĆI
HAMMER DRILLS
PTQ030 57
PTQ038 59
PTQ039 59
PTQ034 60
PTQ035 60

ČEKIĆI ZA RAZBIJANJE
DEMOLITION HAMMERS
PTQ0331 61
PTQ0332 61

UBODNA PILA
JIG SAW
PTQ041 65
PTQ048 65

PILA LISIČJI REP
RECIPROCATING SAW
PTQ044 66

RUČNI CIRKULAR
CIRCULAR SAW
PTQ060 66

BRUSILICE
SANDERS
PTQ070 68
PTQ075 68
PTQ071 69

BLANJA
PLANER
PTQ050 70

GLODALO
ROUTER
PTQ055 70

FEN ZA VRUĆI ZRAK
HEAT GUN
PTQ084 71

PIŠTOLJ ZA BOJANJE
PAINT SPRAY GUN
PTQ083 71

MJEŠAČ ZA BOJU
PAINT MIXER
PTQ082 73
PTQ086 73

KRIŽNI LASERSKI NIVELIR
SELF-LEVELING LASER LEVEL
PTQ085 74

USISIVAČ MOKRO/SUHO
VACUUM CLEANER WET/DRY
PTQ090 75

KOMPRESORI
COMPRESSORS
PTQ120 76
PTQ121 76
PTQ122 77
PTQ124 77
PTQ123 78

PUNJAČI AKUMULATORA
BATTERY CHARGERS
PTQ004 79
PTQ006 79

PRAKTIK TOOLS

KUTNE BRUSILICE
ANGLE GRINDERS
PT2501 82
PT2602 82
PT2901 83
PT2230 83

UDARNE BUŠILICE
IMPACT DRILLS
PT3501 84
PT3710 84
PT3711 85
PT31050 85

UDARNE ČEKIĆI
HAMMER DRILLS
PT3620 86
PT3851 86
PT31255 87
PT31505 87

AKU ODVIJAČ
CORDELSS SCREWDRIVER
PT337 88

BRUSILICE
SANDERS
PT4136 89
PT4250 89
PT4480 90
PT4800 90

RUČNI CIRKULAR
CIRCULAR SAW
PT5121 91

PILA LISIČJI REP
RECIPROCATING SAW
PT1710 91

UBODNE PILE
JIG SAWS
PT1451 92
PT1650 92

BLANJA
PLANER
PT6651 93

GLODALO
ROUTER
PT6120 93

MINI BRUSILICA
ROTARY MULTITOOL
PT2136 94

VIŠENAMJENSKI ALAT
OSCILLATING MULTITOOL
PT2260 94

FEN ZA VRUĆI ZRAK
HEAT GUN
PT8200 95

PIŠTOLJ ZA BOJANJE
PAINT SPRAY GUN
PT8010 95

MJEŠAČ ZA BOJU
PAINT MIXER
PT7120 96

BRUSILICA ZA ZIDOVE
DRYWALL SANDER
PT4750 96

POLIRKA ZA AUTO
ANGLE POLISHER
PT2120 97

STOLNE BRUSILICE
BENCH GRINDERS
PT7150 98
PT7156 98
PT7157 99
PT7158 99

KONZOLNE DIZALICE
HOISTS
PT9105 100
PT9103 100
PT9104 100
PT9102 100

APARATI ZA VARENJE PVC CIJEVI
PLASTIC PIPE WELDERS
PT7050 101
PT7051 101

PUNJAČI AKUMULATORA
BATTERY CHARGERS
PT104 102
PT108 102
PT112 102

PIŠTOLJ ZA VRUĆE LJEPLJENJE
HOT GLUE GUN
PT8220 103
PT8225 103

PRIJENOSNI KOMPRESOR
PORTABLE COMPRESSOR
PT0215 104

LEMILICE
SOLDERING IRONS
PT830 104
PT860 104
PT870 104

USISIVAČI ZA PEPEO
ASH CLEANERS
PT8001 105
PT8002 105

STOLNA KRUŽNA PILA S POSTOLJEM
TABLE SAW
PT5125 106

POTEZNA PREKLOPNA PILA
MITRE SAW
PT5126 106

STUPNE BUŠILICE
DRILL PRESSES
PT9300 107
PT9630 107

TRAČNA PILA
BAND SAW
PT5127 108

AGREGATI
POWER GENERATORS
PT721 109
PT7301 109
PT7551 110
PT7501D 110

VISOKO TLAČNI PREAČI
HIGH PRESSURE CLEANERS
PT91400 111
PT92200 111

PRAKTIK WATER

PUMPA DUBINSKA
DEEP WELL PUMP
PTW6403 115

POTOPNA PUMPA
SUBMERSIBLE PUMP
PTW6400 115

POTOPNA PUMPA
SUBMERSIBLE PUMP
PTW6402 116

POTOPNA PUMPA
SUBMERSIBLE PUMP
PTW6405 116

VRTNA PUMPA
GARDEN PRESSURE PUMP
PTW6404 117

HIDROPAK
PRESSURE PUMP
PTW6800 117

FLEXPOWER

ONE BATTERY

MANY POSSIBILITIES

JEDAN TIP PUNJIVE BATERIJE ZA VIŠE RAZLIČITIH ALATA

Praktik FLEXPOWER je učinkoviti sustav uređaja sa punjivom baterijom. Uz pomoć najmodernije tehnologije i stalnim usavršavanjem razvili smo sustav uređaja s punjivom baterijom koji korisniku omogućava rad sa više uređaja pokretanih jednom te istom baterijom.

18V LI-ION

Q LINE

4 YEAR WARRANTY



PRAKTIK TOOLS

FLEXPOWER

BATERIJSKI SUSTAV NEOGRANIČENIH MOGUĆNOSTI




















Inovativni FLEXPOWER sustav:

- **Inteligentne punjive baterije koje funkcioniraju u svakom uređaju**
- **Potpuna mobilnost = nema kablova**
- **Mogućnost kupnje setova ili pojedinačnih alata/baterija**
- **Pametno riješenje = ušteda**
- **Svaki alat iz FLEXPOWER sustava radi s istim tipom baterije**
- **Ekološka i održiva tehnologija**

PRAKTIK TOOLS

NAJMODERNIJA TEHNOLOGIJA







LITIJ-IONSKE ĆELIJE

Snažne litij-ionske ćelije i naša inovativna elektronika za baterije, donose učinkovitost, pouzdanost i sigurnost.

INDIKATOR

Baterija ima indikator napunjenosti, te se u svakom trenutku korisnik zna s kojoj količinom energije raspolaže.

BEZ MEMORIJSKOG EFEKTA

Bez efekta koji dolazi kod punjivih baterija. Baterija ne pamti manji kapacitet prilikom punjenja baz obzira na vrijeme punjenja.

DUGOTRAJNOST

Naše punjive baterije daju snagu, izdržljivost i dugotrajnost.

KAPACITETI

Velik izbor kapaciteta baterija prilagođene vašim potrebama.

BRUSHLESS MOTORI

Inovativna tehnologija motora bez četkica osigurava maksimalnu učinkovitost. Bez potrebe za održavanjem, s visokim performansama, energetski učinkoviti sa dugim vijekom trajanja.

BRUSHLESS



FLEXPOWER

ONE BATTERY
MANY POSSIBILITIES

FLEXPOWER

PRAKTIK TOOLS

BRUSHLESS



AKU UDARNA BUŠILICA
CORDLESS IMPACT DRILL

PTQ092

NAPON RATED VOLTAGE	**18 V**
BROJ OKRETAJA NO LOAD SPEED	**0-500 / 0-2000 min^{-1}**
BROJ UDARACA IMPACT RATE	**0-7500 / 0-30000 min^{-1}**
OKRETNI MOMENT MAX. TORQUE	**65 Nm**
STUPNJEVI ZAKRETNOG MOMENTA TORQUE POSITIONS	**21 + 3**
STEZNA GLAVA CHUCK	**2 - 13 mm**
BATERIJA BATTERY	**2 x 2,0 Ah**
VRIJEME PUNJENJA CHARGING TIME	**1 h**
LIJEVO/DESNO LEFT/RIGHT	**DA/YES**



AKU UDARNA BUŠILICA
CORDLESS IMPACT DRILL

PTQ093

NAPON RATED VOLTAGE	**18 V**
BROJ OKRETAJA NO LOAD SPEED	**0-400 / 0-1500 min^{-1}**
BROJ UDARACA IMPACT RATE	**0-6000 / 0-22500 min^{-1}**
OKRETNI MOMENT MAX. TORQUE	**40 Nm**
STUPNJEVI ZAKRETNOG MOMENTA TORQUE POSITIONS	**18**
STEZNA GLAVA CHUCK	**2 - 13 mm**
BATERIJA BATTERY	**2 x 2,0 Ah**
VRIJEME PUNJENJA CHARGING TIME	**1 h**
LIJEVO/DESNO LEFT/RIGHT	**DA/YES**



AKU UDARNA BUŠILICA
CORDLES IMPACT DRILL

PTQ094

NAPON RATED VOLTAGE	**18 V**
BROJ OKRETAJA NO LOAD SPEED	**0-400 / 0-1500 min^{-1}**
BROJ UDARACA IMPACT RATE	**0-6000 / 0-22500 min^{-1}**
OKRETNI MOMENT MAX. TORQUE	**40 Nm**
STUPNJEVI ZAKRETNOG MOMENTA TORQUE POSITIONS	**18**
STEZNA GLAVA CHUCK	**2 - 13 mm**
LIJEVO/DESNO LEFT/RIGHT	**DA/YES**

BRUSHLESS



AKU BUŠILICA ODVIJAČ
CORDLES DRILL - BRUSHLESS

PTQ095

NAPON RATED VOLTAGE	**18 V**
BROJ OKRETAJA NO LOAD SPEED	**0-500 / 0-1700 min^{-1}**
OKRETNI MOMENT MAX. TORQUE	**50 Nm**
STUPNJEVI ZAKRETNOG MOMENTA TORQUE POSITIONS	**18 + 1**
STEZNA GLAVA CHUCK	**2 - 13 mm**
LIJEVO/DESNO LEFT/RIGHT	**DA/YES**



AKU BUŠILICA ODVIJAČ
CORDLESS DRILL

PTQ018

NAPON RATED VOLTAGE	**18 V**
BROJ OKRETAJA NO LOAD SPEED	**0-350 / 0-1250 min^{-1}**
OKRETNI MOMENT MAX. TORQUE	**30 Nm**
STUPNJEVI ZAKRETNOG MOMENTA TORQUE POSITIONS	**19+1**
STEZNA GLAVA CHUCK	**0,8 - 10 mm**
BATERIJA BATTERY	**2 x 1,5 Ah**
VRIJEME PUNJENJA CHARGING TIME	**1 h**
LIJEVO/DESNO LEFT/RIGHT	**DA/YES**



AKU BUŠILICA ODVIJAČ
CORDLESS DRILL

PTQ028

NAPON RATED VOLTAGE	**18 V**
BROJ OKRETAJA NO LOAD SPEED	**0-350 / 0-1250 min^{-1}**
OKRETNI MOMENT MAX. TORQUE	**30 Nm**
STUPNJEVI ZAKRETNOG MOMENTA TORQUE POSITIONS	**19+1**
STEZNA GLAVA CHUCK	**0,8 - 10 mm**
LIJEVO/DESNO LEFT/RIGHT	**DA/YES**



AKU BUŠILICA ODVIJAČ
CORDLESS DRILL

PTQ091

NAPON RATED VOLTAGE	**18 V**
BROJ OKRETAJA NO LOAD SPEED	**0 - 550 min^{-1}**
OKRETNI MOMENT MAX. TORQUE	**25 Nm**
STUPNJEVI ZAKRETNOG MOMENTA TORQUE POSITIONS	**19+1**
STEZNA GLAVA CHUCK	**0,8 - 10 mm**
BATERIJA BATTERY	**1 x 1,5 Ah**
VRIJEME PUNJENJA CHARGING TIME	**1 h**
LIJEVO/DESNO LEFT/RIGHT	**DA/YES**



AKU BUŠILICA ODVIJAČ + 3 GLAVE
CORDLESS DRILL + 3 HEADS

PTQ119

NAPON RATED VOLTAGE	**18 V**
BROJ OKRETAJA NO LOAD SPEED	**0-350 / 0-1250 min^{-1}**
OKRETNI MOMENT MAX. TORQUE	**30 Nm**
STUPNJEVI ZAKRETNOG MOMENTA TORQUE POSITIONS	**19+1**
STEZNA GLAVA CHUCK	**0,8 - 10 mm**
LIJEVO/DESNO LEFT/RIGHT	**DA/YES**





SET AKU BUŠILICA ODVIJAČ + BATERIJA 1,5Ah + AKU KUTNA BRUSILICA + BATERIJA 3,0Ah + PUNJAČ

SET CORDLESS DRILL + BATTERY 1,5Ah + CORDLESS ANGLE GRINDER + BATTERY 3.0Ah + CHARGER

PTQ026

AKU BUŠILICA

NAPON RATED VOLTAGE	**18 V**
BROJ OKRETAJA NO LOAD SPEED	**0 - 350 /** **0 - 1250 min^{-1}**
OKRETNI MOMENT MAX. TORQUE	**30 Nm**
STUPNJEVI ZAKRETNOG MOMENTA TORQUE POSITIONS	**19+1**
GLAVA CHUCK	**10 mm**
BATERIJA BATTERY	**1 x 1,5 Ah**

AKU KUTNA BRUSILICA

NAPON RATED VOLTAGE	**18 V**
BROJ OKRETAJA NO LOAD SPEED	**9000 min^{-1}**
PROMJER REZNE PLOČE DISC DIAMETER	**115 mm**
BATERIJA BATTERY	**1 x 3,0 Ah**





BRUSHLESS



AKU UDARNI ODVIJAČ

CORDLESS IMPACT WRENCH

PTQ036

NAPON RATED VOLTAGE	**18 V**
BROJ OKRETAJA NO LOAD SPEED	**0-1000 /** **0-1800 /** **0-2700 min^{-1}**
BROJ UDARACA IMPACT RATE	**0-1400 /** **0-2520 /** **0-3780min^{-1}**
OKRETNI MOMENT MAX. TORQUE	**120 / 180 /** **300 Nm**
STUPNJEVI BRZINE SPEED SETTING	**3**
PRIHVAT ALATA SHAFT	**1/2”** **četverokutni** **1/2” square**

BRUSHLESS



AKU UDARNI ODVIJAČ + BATERIJA 3,0Ah + PUNJAČ

CORDLESS IMPACT WRENCH + BATTERY 3,0Ah + CHARGER

PTQ102

NAPON RATED VOLTAGE	**18 V**
BROJ OKRETAJA NO LOAD SPEED	**0-1000 /** **0-1800 /** **0-2700 min^{-1}**
BROJ UDARACA IMPACT RATE	**0-1400 /** **0-2520 /** **0-3780 min^{-1}**
OKRETNI MOMENT MAX. TORQUE	**120 / 180 /** **300 Nm**
STUPNJEVI BRZINE SPEED SETTING	**3**
PRIHVAT ALATA SHAFT	**1/2”** **četverokutni** **1/2” square**

BRUSHLESS



AKU UDARNI ODVIJAČ
CORDLESS IMPACT WRENCH

PTQ096

NAPON RATED VOLTAGE	**18 V**
BROJ OKRETAJA NO LOAD SPEED	**0-1800 / 0-2100 / 0-2700 min^{-1}**
BROJ UDARACA IMPACT RATE	**0-2520 / 0-2940 / 0-3780min^{-1}**
OKRETNI MOMENT MAX. TORQUE	**80 / 120 / 200 Nm**
STUPNJEVI BRZINE SPEED SETTING	**3**
PRIHVAT ALATA SHAFT	**1/4” HEX**

BRUSHLESS



AKU UDARNI ODVIJAČ + BATERIJA 3,0Ah + PUNJAČ
CORDLESS IMPACT WRENCH
+ BATTERY 3,0Ah + CHARGER

PTQ114

NAPON RATED VOLTAGE	**18 V**
BROJ OKRETAJA NO LOAD SPEED	**0-1800 / 0-2100 / 0-2700 min^{-1}**
BROJ UDARACA IMPACT RATE	**0-2520 / 0-2940 / 0-3780 min^{-1}**
OKRETNI MOMENT MAX. TORQUE	**80 / 120 / 200 Nm**
STUPNJEVI BRZINE SPEED SETTING	**3**
PRIHVAT ALATA SHAFT	**1/4” HEX**



BRUSHLESS



AKU ODVIJAČ ZA KNAUF
CORDLESS DRYWALL SCREWDRIVER

PTQ013

NAPON RATED VOLTAGE	**18 V**
BROJ OKRETAJA NO LOAD SPEED	**0-4400 min^{-1}**
PRIHVAT ALATA SHAFT	**1/4” HEX - 6,35 mm**



BRUSHLESS



AKU ODVIJAČ ZA KNAUF + BATERIJA 3,0Ah + PUNJAČ
CORDLESS DRYWALL SCREWDRIVER + BATTERY 3,0Ah + CHARGER

PTQ112

NAPON RATED VOLTAGE	**18 V**
BROJ OKRETAJA NO LOAD SPEED	**0-4400 min^{-1}**
PRIHVAT ALATA SHAFT	**1/4” HEX - 6,35 mm**



FLEXPOWER

ONE BATTERY
MANY POSSIBILITIES



AKU KUTNA BRUSILICA
CORDLESS ANGLE GRINDER

PTQ027

NAPON RATED VOLTAGE	**18 V**
BROJ OKRETAJA NO LOAD SPEED	**9000 min^{-1}**
PROMJER REZNE PLOČE DISC DIAMETER	**115 mm**





SET AKU KUTNA BRUSILICA + BATERIJA 3,0Ah + PUNJAČ
SET CORDLESS ANGLE GRINDER + BATTERY 3,0Ah + CHARGER

PTQ025

NAPON RATED VOLTAGE	**18 V**
BROJ OKRETAJA NO LOAD SPEED	**9000 min^{-1}**
PROMJER REZNE PLOČE DISC DIAMETER	**115 mm**

BRUSHLESS



AKU KUTNA BRUSILICA
CORDLESS ANGLE GRINDER

PTQ029

NAPON RATED VOLTAGE	**18 V**
BROJ OKRETAJA NO LOAD SPEED	**10000 min^{-1}**
PROMJER REZNE PLOČE DISC DIAMETER	**115 mm**



BRUSHLESS



SET AKU KUTNA BRUSILICA + BATERIJA 3,0Ah + PUNJAČ
CORDLESS ANGLE GRINDER SET + BATTERY 3,0Ah + CHARGER

PTQ104

NAPON RATED VOLTAGE	**18 V**
BROJ OKRETAJA NO LOAD SPEED	**10000 min^{-1}**
PROMJER REZNE PLOČE DISC DIAMETER	**115 mm**

PRAKTIK TOOLS



FLEXPOWER



FLEXPOWER

ONE BATTERY
MANY POSSIBILITIES

PRAKTIK TOOLS

BRUSHLESS





AKU UDARNI ČEKIĆ
CORDLESS HAMMER DRILL

PTQ031

NAPON RATED VOLTAGE	**18 V**
BROJ OKRETAJA NO LOAD SPEED	**0-1420 min^{-1}**
BROJ UDARACA IMPACT RATE	**0-4500min^{-1}**
SNAGA UDARCA IMPACT RATE	**2.2 J**
PRIHVAT CHUCK TYPE	**SDS PLUS**

BRUSHLESS



SET AKU UDARNI ČEKIĆ + BATERIJA 3,0Ah + PUNJAČ
CORDLESS HAMMER DRILL SET + BATTERY 3,0Ah + CHARGER

PTQ103

NAPON RATED VOLTAGE	**18 V**
BROJ OKRETAJA NO LOAD SPEED	**0-1420 min^{-1}**
BROJ UDARACA IMPACT RATE	**0-4500min^{-1}**
SNAGA UDARCA IMPACT RATE	**2.2 J**
PRIHVAT CHUCK TYPE	**SDS PLUS**





AKU UDARNI ČEKIĆ
CORDLESS HAMMER DRILL

PTQ111

NAPON RATED VOLTAGE	18 V
BROJ OKRETAJA NO LOAD SPEED	0-900 min^{-1}
BROJ UDARACA IMPACT RATE	0-5000 min^{-1}
SNAGA UDARCA IMPACT RATE	1.1 J
PRIHVAT CHUCK TYPE	SDS PLUS
KAPACITET BUŠENJA / DRILLING CAPACITY	
BETON CONCRETE	12 mm
ČELIK STEEL	8 mm
DRVO WOOD	16 mm



SET AKU UDARNI ČEKIĆ + BATERIJA 3,0Ah + PUNJAČ
SET CORDLESS HAMMER DRILL + BATTERY 3,0Ah + CHARGER

PTQ115

NAPON RATED VOLTAGE	18 V
BROJ OKRETAJA NO LOAD SPEED	0-900 min^{-1}
BROJ UDARACA IMPACT RATE	0-5000 min^{-1}
SNAGA UDARCA IMPACT RATE	1.1 J
PRIHVAT CHUCK TYPE	SDS PLUS





AKU ROTACIONA BRUSILICA
CORDLESS ROTATING SANDER

PTQ072

NAPON RATED VOLTAGE	18 V
BRZINA SPEED	6
BROJ OKRETAJA NO LOAD SPEED	2000 / 3500 / 5000 / 6500 / 8000 / 10000 min^{-1}
PROMJER PLOČE DISC DIAMETER	Ø125 mm
KRUG OSCILACIJA RATED VOLTAGE	Ø2.7 mm
KRUG OSCILACIJA RATED VOLTAGE	DA/YES



SET AKU ROTACIONA BRUSILICA + BATERIJA 3,0Ah + PUNJAČ
SET CORDLESS ROTATING SANDER + BATTERY 3,0Ah + CHARGER

PTQ109

NAPON RATED VOLTAGE	18 V
BRZINA SPEED	6
BROJ OKRETAJA NO LOAD SPEED	2000 / 3500 / 5000 / 6500 / 8000 / 10000 min^{-1}
PROMJER PLOČE DISC DIAMETER	Ø125 mm
KRUG OSCILACIJA RATED VOLTAGE	Ø2.7 mm
KRUG OSCILACIJA RATED VOLTAGE	DA/YES



AKU U BODNA PILA
CORDLESS JIG SAW

PTQ042

NAPON RATED VOLTAGE	18 V
BROJ OKRETAJA NO LOAD SPEED	0-2400 min^{-1}
PODESIVA OSNOVNA PLOČA ADJUSTABLE BASE	45°- 0°- 45°
PENDULUM FUNKCIJA PENDULUM FUNCTION	3 faze
LED SVJETLO LED LIGHT	DA/YES
BRZA IZMJENA PILICE FAST BLADE CHANGE	DA/YES
KAPACITET REZANJA / CUTTING CAPACITY	
DRVO WOOD	80 mm
ČELIK STEEL	10 mm



SET AKU UBODNA PILA+ BATERIJA 3,0Ah + PUNJAČ
SET CORDLESS JIG SAW + BATTERY 3,0Ah + CHARGER

PTQ105

NAPON RATED VOLTAGE	18 V
BROJ OKRETAJA NO LOAD SPEED	0-2400 min^{-1}
PODESIVA OSNOVNA PLOČA ADJUSTABLE BASE	45°- 0°- 45°
PENDULUM FUNKCIJA PENDULUM FUNCTION	3 faze
LED SVJETLO LED LIGHT	DA/YES
BRZA IZMJENA PILICE FAST BLADE CHANGE	DA/YES
KAPACITET REZANJA / CUTTING CAPACITY	
DRVO WOOD	80 mm
ČELIK STEEL	10 mm



AKU PILA LISIČJI REP
CORDLESS RECIPOCATING SAW

PTQ043

NAPON RATED VOLTAGE	18 V
BROJ OKRETAJA NO LOAD SPEED	0-3000 min^{-1}
VISINA UBODA STROKE LENGHT	22 mm
BRZA IZMJENA PILICE FAST BLADE CHANGE	DA/YES
PODESIVA GLAVA ADJUSTABLE HEAD	DA/YES
KAPACITET REZANJA / CUTTING CAPACITY	
DRVO WOOD	115 mm
ČELIK STEEL	10 mm



SET AKU PILA LISIČJI REP + BATERIJA 3,0Ah + PUNJAČ
SET CORDLESS RECIPOCATING SAW + BATTERY 3,0Ah + CHARGER

PTQ106

NAPON RATED VOLTAGE	18 V
BROJ OKRETAJA NO LOAD SPEED	0-3000 min^{-1}
VISINA UBODA STROKE LENGHT	22 mm
BRZA IZMJENA PILICE FAST BLADE CHANGE	DA/YES
PODESIVA GLAVA ADJUSTABLE HEAD	DA/YES
KAPACITET REZANJA / CUTTING CAPACITY	
DRVO WOOD	115 mm
ČELIK STEEL	10 mm



AKU RUČNI CIRKULAR
CORDLESS CIRCULAR SAW

PTQ061

NAPON RATED VOLTAGE	**18 V**
BROJ OKRETAJA NO LOAD SPEED	**4200 min^{-1}**
DIMENZIJA REZNE PLOČE SAW BLADE SIZE	**Ø150x10 x16 mm 24T**
KAPACITET REZANJA CUTTING CAPACITY	**90° - 48 mm** **45° - 36 mm**
LASERSKA ZRAKA ZA VOĐENJE LASER	**DA/YES**



SET AKU RUČNI CIRKULAR + BATERIJA 3,0Ah + PUNJAČ
SET CORDLESS CIRCULAR SAW
+ BATTERY 3,0Ah + CHARGER

PTQ107

NAPON RATED VOLTAGE	**18 V**
BROJ OKRETAJA NO LOAD SPEED	**4200 min^{-1}**
DIMENZIJA REZNE PLOČE SAW BLADE SIZE	**Ø150x10 x16 mm 24T**
KAPACITET REZANJA CUTTING CAPACITY	**90° - 48 mm** **45° - 36 mm**
LASERSKA ZRAKA ZA VOĐENJE LASER	**DA/YES**







AKU LAMPA
CORDLESS LAMP

PTQ099

NAPON RATED VOLTAGE	**18 V**
SNAGA POWER	**3 W**
BROJ LED NUMBER OF LED	**3 LED**
SVJETLOST LUMINOSITY	**260 lm**
TEMPERATURA BOJE COLOR TEMPERATURE	**7000 K**
KUT OSVJETLJENJA LIGHT ANGLE	**120°**



SET AKU LAMPA+ BATERIJA 2,0Ah + PUNJAČ
SET CORDLESS LAMP + BATTERY 2,0Ah + CHARGER

PTQ116

NAPON RATED VOLTAGE	**18 V**
SNAGA POWER	**3 W**
BROJ LED NUMBER OF LED	**3 LED**
SVJETLOST LUMINOSITY	**260 lm**
TEMPERATURA BOJE COLOR TEMPERATURE	**7000 K**
KUT OSVJETLJENJA LIGHT ANGLE	**120°**



AKU USISAVAČ
CORDLESS DRY VACCUM CLEANER

PTQ110

NAPON RATED VOLTAGE	**18 V**
USISNA SNAGA SUCTION POWER	**≥ 3.8 kPa**
KAPACITET SPREMNIKA DUST CAPACITY	**500 ml**





36V

AKU KOSILICA
CORDLESS LAWN MOWER

PTQ122

NAPON RATED VOLTAGE	**36V (18V+18V)**
BROJ OKRETAJA NO LOAD SPEED	**2800 min^{-1}**
ŠIRINA KOŠNJE CUTTING WIDTH	**40 cm**
6 POZICIJA VISINE 6 CUTTING HEIGHTS	**25-75 mm**
KOŠARA ZAPREMINE COLLECTION BAG	**40 l**



36V

SET AKU KOSILICA + 2 x BATERIJA 4,0Ah + PUNJAČ
SET CORDLESS LAWN MOWER
+ 2 x BATTERY 4,0Ah + CHARGER

PTQ123

NAPON RATED VOLTAGE	**36V (18V+18V)**
BROJ OKRETAJA NO LOAD SPEED	**2800 min^{-1}**
ŠIRINA KOŠNJE CUTTING WIDTH	**40 cm**
6 POZICIJA VISINE 6 CUTTING HEIGHTS	**25-75 mm**
KOŠARA ZAPREMINE COLLECTION BAG	**40 l**



AKU TRIMER ZA TRAVU
CORDLESS GRASS TRIMMER

PTQ120

NAPON RATED VOLTAGE	**18 V**
BROJ OKRETAJA NO LOAD SPEED	**9000 min^{-1}**
ŠIRINA KOŠNJE CUTTING WIDTH	**28 cm**
PROMJER REZNE NITI CUTTING LINE DIAMETER	**Ø 1,6 mm**
TELESKOPSKA DRŠKA TELESCOPIC HANDLE	**DA/YES**
ROTIRAJUĆA GLAVA ADJUSTABLE HEAD	**DA/YES**

SET AKU TRIMER ZA TRAVU + BATERIJA 2,0Ah + PUNJAČ
SET CORDLESS GRASS TRIMMER + BATTERY 2,0Ah + CHARHER

PTQ121

NAPON RATED VOLTAGE	**18 V**
BROJ OKRETAJA NO LOAD SPEED	**9000 min^{-1}**
ŠIRINA KOŠNJE CUTTING WIDTH	**28 cm**
PROMJER REZNE NITI CUTTING LINE DIAMETER	**Ø 1,6 mm**
TELESKOPSKA DRŠKA TELESCOPIC HANDLE	**DA/YES**
ROTIRAJUĆA GLAVA ADJUSTABLE HEAD	**DA/YES**



AKU TELESKOPSKA LANČANA PILA
CORDLESS POLE CHAIN SAW

PTQ047

NAPON RATED VOLTAGE	**18 V**
DUŽINA MAČA BLADE LENGTH	**205 mm**
DUŽINA REZA LENGTH OF CUT	**200 mm**
BRZINA REZA CUTTING SPEED	**8 m/s**
ALUMINISKA TELESKOPSKA DRŠKA ALUMINUM TELESCOPIC HANDEL	**205 - 250 cm**



SET AKU TELESKOPSKA LANČANA PILA + BATERIJA 3,0Ah + PUNJAČ
SET CORDLESS POLE CHAIN SAW + BATTERY 3,0Ah + CHARGER

PTQ113

NAPON RATED VOLTAGE	**18 V**
DUŽINA MAČA BLADE LENGTH	**205 mm**
DUŽINA REZA LENGTH OF CUT	**200 mm**
BRZINA REZA CUTTING SPEED	**8 m/s**
ALUMINISKA TELESKOPSKA DRŠKA ALUMINUM TELESCOPIC HANDEL	**205 - 250 cm**

OREGON



AKU LANČANA PILA
CORDLESS CHAIN SAW

PTQ098

NAPON RATED VOLTAGE	**18 V**
BROJ OKRETAJA NO LOAD SPEED	**3300 min^{-1}**
DUŽINA NOŽA BAR LENGHT	**25 cm**
BRZINA LANCA CHAIN SPEED	**6 m/s**
KAPCITET SPREMNIKA ZA ULJA OIL TANK CAPACITY	**100 ml**



OREGON





SET AKU LANČANA PILA + BATERIJA 3,0Ah + PUNJAČ
SET CORDLESS CHAIN SAW + BATTERY 3,0Ah + CHARGER

PTQ117

NAPON RATED VOLTAGE	**18 V**
BROJ OKRETAJA NO LOAD SPEED	**3300 min^{-1}**
DUŽINA NOŽA BAR LENGHT	**25 cm**
BRZINA LANCA CHAIN SPEED	**6 m/s**
KAPCITET ULJA OIL TANK CAPACITY	**100 ml**

OREGON



AKU ŠKARE ZA ŽIVICU
CORDLESS HEDGE TRIMMER

PTQ046

NAPON RATED VOLTAGE	**18 V**
BROJ OKRETAJA NO LOAD SPEED	**1300 min^{-1}**
DULJINA OŠTRICE BLADE LENGTH	**510 mm**
RAZMAK IZMEĐU ZUBA CUTTING CAPACITY	**15 mm**
OKRETNA DRŠKA ROTATING HANDLE	**DA/YES**



OREGON



SET AKU ŠKARE ZA ŽIVICU + BATERIJA 2,0Ah + PUNJAČ
SET CORDLESS HEDGE TRIMMER + BATTERY 2,0Ah + CHARGER

PTQ108

NAPON RATED VOLTAGE	**18 V**
BROJ OKRETAJA NO LOAD SPEED	**1300 min^{-1}**
DULJINA OŠTRICE BLADE LENGTH	**510 mm**
RAZMAK IZMEĐU ZUBA CUTTING CAPACITY	**15 mm**
OKRETNA DRŠKA ROTATING HANDLE	**DA/YES**



AKU ŠKARE ZA OBREZIVANJE
CORDLESS PRUNING SHEARS

PTQ097

NAPON RATED VOLTAGE	**18 V**
MAKSIMALNI PROMJER REZIDBE MAXIMUM PRUNING DIAMETER	**3 cm**



BRUSHLESS



SET AKU ŠKARE ZA OBREZIVANJE + BATERIJA 2,0Ah + PUNJAČ
SET CORDLESS PRUNING SHEARS + BATTERY 2,0Ah + CHARGER

PTQ118

NAPON RATED VOLTAGE	**18 V**
MAKSIMALNI PROMJER REZIDBE MAXIMUM PRUNING DIAMETER	

BRUSHLESS





BATERIJA
BATTERY

PTQB20

NAPON RATED VOLTAGE	**18 V**
KAPACITET BATERIJE BATTERY CAPACITY	**2.0 Ah**



BATERIJA
BATTERY

PTQB30

NAPON RATED VOLTAGE	**18 V**
KAPACITET BATERIJE BATTERY CAPACITY	**3.0 Ah**



BATERIJA
BATTERY

PTQB40

NAPON RATED VOLTAGE	**18 V**
KAPACITET BATERIJE BATTERY CAPACITY	**4.0 Ah**



BATERIJA
BATTERY

PTQB60

NAPON RATED VOLTAGE	**18 V**
KAPACITET BATERIJE BATTERY CAPACITY	**6.0 Ah**



BATERIJA
BATTERY

PTQB41

NAPON RATED VOLTAGE	**18 V**
KAPACITET BATERIJE BATTERY CAPACITY	**4.0 Ah**



SET PUNJAČ + BATERIJA 2,0 Ah
SET CHARGER + BATTERY 2,0 Ah

PTQ124

NAPON RATED VOLTAGE	**18 V**
KAPACITET BATERIJE BATTERY CAPACITY	**2.0 Ah**



SET PUNJAČ + BATERIJA 3,0 Ah
SET CHARGER + BATTERY 3,0 Ah

PTQ100

NAPON RATED VOLTAGE	**18 V**
KAPACITET BATERIJE BATTERY CAPACITY	**3.0 Ah**



SET PUNJAČ + BATERIJA 4,0 Ah
SET CHARGER + BATTERY 4,0 Ah

PTQ125

NAPON RATED VOLTAGE	**18 V**
KAPACITET BATERIJE BATTERY CAPACITY	**4.0 Ah**



SET PUNJAČ
+ 2 x BATERIJA 3,0 Ah
SET CHARGER
+ 2 x BATTERY 3,0 Ah

PTQ126

NAPON RATED VOLTAGE	**18 V**
KAPACITET BATERIJE BATTERY CAPACITY	**3.0 Ah**

SET 2 x BATERIJA 3,0 Ah
SET 2 x BATTERY 3,0 Ah

PTQ127

NAPON RATED VOLTAGE	**18 V**
KAPACITET BATERIJE BATTERY CAPACITY	**3.0 Ah**



SET 2 x BATERIJA 4,0 Ah
SET 2 x BATTERY 4,0 Ah

PTQ128

NAPON RATED VOLTAGE	**18 V**
KAPACITET BATERIJE BATTERY CAPACITY	**4.0 Ah**



PUNJAČ
CHARGER

PTQC01

BATERIJSKI SUSTAV BATTERY SYSTEM	**FLEXPOWER**
STUJA PUNJENJA OUTPUT CURRENT	**3 A**



PUNJAČ
CHARGER

PTQC02

BATERIJSKI SUSTAV BATTERY SYSTEM	**FLEXPOWER**
STUJA PUNJENJA OUTPUT CURRENT	**3 A**



DUPLI PUNJAČ
TWIN CHARGER

PTQC03

BATERIJSKI SUSTAV BATTERY SYSTEM	**FLEXPOWER**
STUJA PUNJENJA OUTPUT CURRENT	**3 A**

PRAKTIK TOOLS

ONE BATTERY

MANY POSSIBILITIES

FLEXPOWER

Q LINE

4 YEAR WARRANTY

PRAKTIK TOOLS

PRAKTIK TOOLS Q linija ima u svom programu visokokvalitetne proizvode za uradi sam majstore i zahtjevne uradi sam profesionalce. Q linija alata i uređaja ima jamstvo od četriri godine.



KUTNA BRUSILICA
ANGLE GRINDER

PTQ020

SNAGA POWER	**780 W**
BROJ OKRETAJA NO LOAD SPEED	**11000 min^{-1}**
PROMJER DISKA DISC DIAMETER	**115 mm**
BLOKADA OSOVINE SWITCH LOCK	**DA / YES**
NAVOJ VRETENA SPINDLE THREAD	**M 14**
DODATNA BOČNA RUČKA ADDITIONAL HANDLE	**DA / YES**
PODESIVI ŠTITNIK SAFETY GUARD	**DA / YES**
PRILOŽEN KLJUČ ZA IZMJENU DISKA SPANNER	**DA / YES**
DUŽINA PRIKLJUČNOG KABLA CABLE LENGHT	**3 m**
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	**230-240V/ 50Hz**

780W



KUTNA BRUSILICA
ANGLE GRINDER

PTQ021

SNAGA POWER	**950 W**
BROJ OKRETAJA NO LOAD SPEED	**11000 min^{-1}**
PROMJER DISKA DISC DIAMETER	**125 mm**
BLOKADA OSOVINE SWITCH LOCK	**DA / YES**
NAVOJ VRETENA SPINDLE THREAD	**M 14**
DODATNA BOČNA RUČKA ADDITIONAL HANDLE	**DA / YES**
PODESIVI ŠTITNIK SAFETY GUARD	**DA / YES**
PRILOŽEN KLJUČ ZA IZMJENU DISKA SPANNER	**DA / YES**
DUŽINA PRIKLJUČNOG KABLA CABLE LENGHT	**3 m**
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	**230-240V/ 50Hz**

950W



KUTNA BRUSILICA
ANGLE GRINDER

PTQ022

SNAGA POWER	**720 W**
BROJ OKRETAJA NO LOAD SPEED	**11500 min^{-1}**
PROMJER DISKA DISC DIAMETER	**115 mm**
BLOKADA OSOVINE SWITCH LOCK	**DA / YES**
NAVOJ VRETENA SPINDLE THREAD	**M 14**
DODATNA BOČNA RUČKA ADDITIONAL HANDLE	**DA / YES**
PODESIVI ŠTITNIK SAFETY GUARD	**DA / YES**
PRILOŽEN KLJUČ ZA IZMJENU DISKA SPANNER	**DA / YES**
DUŽINA PRIKLJUČNOG KABLA CABLE LENGHT	**3 m**
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	**230-240V/ 50Hz**

720W

VARIJABILNA BRZINA
VARIABLE SPEED



KUTNA BRUSILICA
ANGLE GRINDER

PTQ023

SNAGA POWER	**900 W**
BROJ OKRETAJA NO LOAD SPEED	**3000 - 12000 min^{-1}**
PROMJER DISKA DISC DIAMETER	**125 mm**
BLOKADA OSOVINE SWITCH LOCK	**DA / YES**
NAVOJ VRETENA SPINDLE THREAD	**M 14**
DODATNA BOČNA RUČKA ADDITIONAL HANDLE	**DA / YES**
PODESIVI ŠTITNIK SAFETY GUARD	**DA / YES**
PRILOŽEN KLJUČ ZA IZMJENU DISKA SPANNER	**DA / YES**
DUŽINA PRIKLJUČNOG KABLA CABLE LENGHT	**3 m**
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	**230-240V/ 50Hz**

900W

PRAKTIK TOOLS

Q LINE



KUTNA BRUSILICA
ANGLE GRINDER

PTQ024


SNAGA POWER	2100 W
BROJ OKRETAJA NO LOAD SPEED	6500 min^{-1}
PROMJER DISKA DISC DIAMETER	230 mm
BLOKADA OSOVINE SWITCH LOCK	DA / YES
NAVOJ VRETENA SPINDLE THREAD	M 14
DODATNA BOČNA RUČKA ADDITIONAL HANDLE	DA / YES
PODESIVI ŠTITNIK SAFETY GUARD	DA / YES
PRILOŽEN KLJUČ ZA IZMJENU DISKA SPANNER	DA / YES
DUŽINA PRIKLJUČNOG KABLA CABLE LENGHT	3 m
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

2100W



Q LINE

4 YEAR WARRANTY









AKU ODVIJAČ
CORDLESS SCREWDRIVER

PTQ014

NAPON RATED VOLTAGE	3.6 V
KAPACITET BATERIJE BATTERY CAPACITY	1300 mAh
BROJ OKRETAJA ROTATION SPEED	210 min^{-1}
OKRETNI MOMENT MAX. TORQUE	5 Nm
STUPNJEVI ZAKRETNOG MOMENTA TORQUE POSITION	15 + 1
PRIHVAT CHUCK	1/4”
VRIJEME PUNJENJA CHARGING TIME	3-5h
LIJEVO-DESNO LEFT-RIGHT	DA / YES

3.6V



UDARNA BUŠILICA
IMPACT DRILL

PTQ010

SNAGA POWER	710 W
BROJ OKRETAJA NO LOAD SPEED	0-2700 min^{-1}
STEZNA GLAVA CHUCK	13 mm
LIJEVO-DESNO LEFT-RIGHT	DA / YES
GRANIČNIK DUBINE DEPTH STOP	DA / YES
DUŽINA PRIKLJUČNOG KABLA CABLE LENGHT	3 m
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz
KAPACITET BUŠENJA / DRILLING CAPACITY	
DRVO WOOD	25 mm
ČELIK STEEL	13 mm
BETON STEEL	13 mm

710W

ALUMINIJSKO KUĆIŠTE
ALUMINIUM HOUSING



UDARNA BUŠILICA
IMPACT DRILL

PTQ011

SNAGA POWER	850 W
BROJ OKRETAJA NO LOAD SPEED	0-2800 min^{-1}
STEZNA GLAVA CHUCK	13 mm
LIJEVO-DESNO LEFT-RIGHT	DA / YES
GRANIČNIK DUBINE DEPTH STOP	DA / YES
DUŽINA PRIKLJUČNOG KABLA CABLE LENGHT	3 m
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz
KAPACITET BUŠENJA / DRILLING CAPACITY	
DRVO WOOD	30 mm
ČELIK STEEL	13 mm
BETON STEEL	16 mm

850W







BUŠAČI ČEKIĆ
HAMMER DRILL


PTQ030

SNAGA POWER	1050 W
BROJ OKRETAJA NO LOAD SPEED	0-920 min^{-1}
BROJ UDARCA IMPACT RATE	0-5100 min^{-1}
SNAGA UDARCA IMPACT POWER	3.4 J
PRIHVAT CHUCK TYPE	SDS PLUS
DUŽINA PRIKLJUČNOG KABLA CABLE LENGHT	3 m
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

1050W

Q LINE

4 YEAR WARRANTY



Q LINE

PRAKTIK TOOLS



UDARNI ČEKIĆ
HAMMER DRILL

PTQ038

SNAGA POWER	**900 W**
BROJ OKRETAJA NO LOAD SPEED	**0-850 min^{-1}**
BROJ UDARACA IMPACT RATE	**0-4500 min^{-1}**
SNAGA UDARCA IMPACT POWER	**3.5 J**
PRIHVAT CHUCK TYPE	**SDS PLUS**
DUŽINA PRIKLJUČNOG KABLA CABLE LENGHT	**3 m**
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	**230-240V/ 50Hz**

AVS - SUSTAV PROTIV VIBRACIJA
AVS - ANTI-VIBRATION SYSTEM

900W



UDARNI ČEKIĆ
HAMMER DRILL

PTQ039

SNAGA POWER	**1500 W**
BROJ OKRETAJA NO LOAD SPEED	**0-850 min^{-1}**
BROJ UDARACA IMPACT RATE	**0-4500 min^{-1}**
SNAGA UDARCA IMPACT POWER	**6 J**
PRIHVAT CHUCK TYPE	**SDS PLUS**
DUŽINA PRIKLJUČNOG KABLA CABLE LENGHT	**3 m**
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	**230-240V/ 50Hz**

AVS - SUSTAV PROTIV VIBRACIJA
AVS - ANTI-VIBRATION SYSTEM

1500W



UDARNI ČEKIĆ
HAMMER DRILL

PTQ034

SNAGA POWER	**1250 W**
BROJ OKRETAJA NO LOAD SPEED	**450 min^{-1}**
BROJ UDARACA IMPACT RATE	**2800 min^{-1}**
SNAGA UDARCA IMPACT POWER	**10 J**
PRIHVAT CHUCK TYPE	**SDS MAX**
DUŽINA PRIKLJUČNOG KABLA CABLE LENGHT	**3 m**
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	**230-240V/ 50Hz**
KAPACITET BUŠENJA BETON DRILLING CAPACITY CONCRETE	**32 mm**

AVS - SUSTAV PROTIV VIBRACIJA
AVS - ANTI-VIBRATION SYSTEM

1250W



UDARNI ČEKIĆ
HAMMER DRILL

PTQ035

SNAGA POWER	**1200 W**
BROJ OKRETAJA NO LOAD SPEED	**100-440 min^{-1}**
SNAGA UDARCA IMPACT ENERGY	**13 J**
BROJ UDARACA IMPACT RATE	**650 - 2600 min^{-1}**
PRIHVAT CHUCK TYPE	**SDS MAX**
DUŽINA PRIKLJUČNOG KABLA CABLE LENGHT	**3 m**
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	**230-240V/ 50Hz**
KAPACITET BUŠENJA BETON DRILLING CAPACITY CONCRETE	**38 mm**

AVS - SUSTAV PROTIV VIBRACIJA
AVS - ANTI-VIBRATION SYSTEM

1200W



ČEKIĆ ZA RAZBIJANJE
DEMOLITION HAMMER

PTQ0331

SNAGA POWER	**1300 W**
BROJ UDARACA IMPACT RATE	**4300 min^{-1}**
SNAGA UDARCA IMPACT PWER	**20 J**
PRIHVAT CHUCK TYPE	**SDS MAX**
DUŽINA PRIKLJUČNOG KABLA CABLE LENGHT	**3 m**
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	**230-240V/ 50Hz**

AVS - SUSTAV PROTIV VIBRACIJA
AVS - ANTI-VIBRATION SYSTEM

1300W



ČEKIĆ ZA RAZBIJANJE
DEMOLITION HAMMER

PTQ0332

SNAGA POWER	**1900 W**
BROJ UDARACA IMPACT RATE	**2000 min^{-1}**
SNAGA UDARCA IMPACT PWER	**60 J**
PRIHVAT CHUCK TYPE	**SDS MAX**
DUŽINA PRIKLJUČNOG KABLA CABLE LENGHT	**3 m**
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	**230-240V/ 50Hz**

AVS - SUSTAV PROTIV VIBRACIJA
AVS - ANTI-VIBRATION SYSTEM

1900W

Q LINE

4 YEAR WARRANTY



PRAKTIK TOOLS





UBODNA PILA
JIG SAW

PTQ041

SNAGA POWER	**650 W**
BROJ OKRETAJA NO LOAD SPEED	**0 - 3000 min^{-1}**
PODESIVA OSNOVNA PLOČA ADJUSTABLE BASE:	**45°- 0°- 45°**
DUŽINA PRIKLJUČNOG KABLA CABLE LENGHT	**3 m**
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	**230-240V/ 50Hz**
KAPACITET REZANJA / CUTTING CAPACITY	
DRVO WOOD	**65 mm**
ČELIK STEEL	**8 mm**

650W



UBODNA PILA
JIG SAW

PTQ048

SNAGA POWER	**850 W**
BROJ OKRETAJA NO LOAD SPEED	**0 - 3000 min^{-1}**
PODESIVA OSNOVNA PLOČA ADJUSTABLE BASE:	**45°- 0°- 45°**
LED SVJETLO LED LIGHT	**DA / YES**
LASERSKA ZRAKA LASER	**DA / YES**
DUŽINA PRIKLJUČNOG KABLA CABLE LENGHT	**3 m**
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	**230-240V/ 50Hz**
KAPACITET REZANJA / CUTTING CAPACITY	
DRVO WOOD	**100 mm**
ČELIK STEEL	**8 mm**

850W




PILA LISIČJI REP
RECIPROCATING SAW

PTQ044

SNAGA POWER	**850 W**
BROJ OKRETAJA NO LOAD SPEED	**0 - 2800 min^{-1}**
DUŽINA NOŽA BLADE SIZE	**150 mm**
DUŽINA PRIKLJUČNOG KABLA CABLE LENGHT	**3 m**
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	**230-240V/ 50Hz**
KAPACITET BUŠENJA DRVO DRILLING CAPACITY DRVO	**115 mm**

850W




RUČNI CIRKULAR
CIRCULAR SAW

PTQ060

SNAGA POWER	**1500 W**
BROJ OKRETAJA NO LOAD SPEED	**4700 min^{-1}**
DIMENZIJA REZNE PLOČE SAW BLADE SIZE	**Ø185 x 20 mm 24T**
KAPACITET REZANJA CUTTING CAPACITY	**45° - 46 mm 90° - 67 mm**
LASERSKA ZRAKA ZA VOĐENJE LASER	**DA/YES**
DUŽINA PRIKLJUČNOG KABLA CABLE LENGHT	**3 m**
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	**230-240V/ 50Hz**

1500W





VIBRACIONA BRUSILICA
FINISHING SANDER

PTQ070	
SNAGA POWER	330 W
BROJ OKRETAJA NO LOAD SPEED	6000 - 12000 min^{-1}
BROJ OSCILACIJA OSCILLATION SPEED	12000 - 24000 min^{-1}
DIMENZIJE OSNOVNE PLOČE SANDING SURFICE	115 x 230 mm
GUMIRANE RUČKE SOFT GRIP HANDELS	DA/YES
VREĆICA ZA PRAŠINU DUST BAG	DA/YES
DUŽINA PRIKLJUČNOG KABLA CABLE LENGHT	3 m
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

330W



EKSCENTARSKA BRUSILICA
ROTATING SANDER

PTQ075	
SNAGA POWER	450 W
BROJ OKRETAJA NO LOAD SPEED	6000 - 13000 min^{-1}
BROJ OSCILACIJA OSCILLATION SPEED	12000 - 26000 min^{-1}
DIMENZIJE OSNOVNE PLOČE SANDING SURFICE	Ø 125 mm
GUMIRANE RUČKE SOFT GRIP HANDELS	DA/YES
VREĆICA ZA PRAŠINU DUST BAG	DA/YES
ELEKTRONSKA REGULACIJA OKRETAJA ADJUSTABLE SPEED	DA/YES
DUŽINA PRIKLJUČNOG KABLA CABLE LENGHT	3 m
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

450W

Q LINE
PRAKTIK TOOLS

DODACI: 3 KOMADA BRUSNOG PAPIRA G60/G80/G120
INCLUDED: 3 PCS SANDING BELT G60/G80/G120



TRAČNA BRUSILICA
BELT SANDER

PTQ071	
SNAGA POWER	950 W
BROJ OKRETAJA NO LOAD SPEED	150-380 min^{-1}
VELIČINA REMENA BELT SIZE	533x76 mm
PODESIVA DODATNA RUČKA ADJUSTABLE AUXILIARY HANDLE	DA/YES
VREĆICA ZA PRAŠINU DUST BAG	DA/YES
DUŽINA PRIKLJUČNOG KABLA CABLE LENGHT	3 m
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

950W





BLANJA
PLANER

PTQ050	
SNAGA POWER	900 W
BROJ OKRETAJA NO LOAD SPEED	16000 min^{-1}
ŠIRINA REZNOG NOŽA PLANING WIDTH	82 mm
DUBINA REZA PLANING DEPTH	0 -3 mm
DUBINA MAKSIMALNOG UTORA BLANJANJA REBATING DEPTH	18 mm
ALUMINIJSKA OSNOVNA PLOČA SA UTORIMA ALUMINIUM BASE	DA/YES
DUŽINA PRIKLJUČNOG KABLA CABLE LENGHT	3 m
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

900W

DODACI: 6 DJELNA GARNITURA GLODALA Ø8MM
INCLUDED: 6 PCS BITS Ø8MM



GLODALO
ROUTER

PTQ055	
SNAGA POWER	1200 W
BROJ OKRETAJA NO LOAD SPEED	11000 - 30000 min^{-1}
DUBINA REZA WORKING DEPTH	50 mm
PROMJER OSOVINE COLLET BORE	Ø6mm/Ø8mm
MEKANI START SOFT START	DA/YES
DUŽINA PRIKLJUČNOG KABLA CABLE LENGHT	3 m
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

1200 W



FEN ZA VRUĆI ZRAK
HEAT GUN

PTQ084	
SNAGA POWER	2000 W
TEMPERATURA TEMPERATURE SETTING	50 - 600°C
PROTOK ZRAKA AIR FLOW	180-280 l/min
PRILOŽEN DODATNI PRIBOR ADDITIONAL ACCESSORIES	DA/YES
LCD DISPLEJ LCD DISPLAY	DA/YES
DUŽINA PRIKLJUČNOG KABLA CABLE LENGHT	3 m
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

2000 W

HVLP (High-Volume, Low-Pressure)



PIŠTOLJ ZA BOJANJE
PAINT SPRAY GUN

PTQ083	
SNAGA POWER	400 W
PROMJER MLAZNICE NOZZLE DIAMETER	Ø1,8 / Ø2,6 mm
MAKS. BRZINA PROTOKA MAX. FLOW SPEED	800 ml/min
MAKS. VISKOZNOST MAX. VISCOSITY	70 DIN-s
KAPACITET SPREMNIKA CONTAINER CAPACITY	1000 ml
DUŽINA PRIKLJUČNOG KABLA CABLE LENGHT	3 m
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

400 W

Q LINE

4 YEAR WARRANTY



Q LINE

PRAKTIK TOOLS



MJEŠAČ ZA BOJU
PAINT MIXER

PTQ082

SNAGA POWER	**1800 W**
BROJ OKRETAJA NO LOAD SPEED	**0-430 / 0-760 min^{-1}**
ELEKTRONSKA REGULACIJA ADJUSTABLE SPEED	**DA/YES**
PRIHVAT SPINDLE THREAD	**M14**
UKLJUČEN SPIRALNI MJEŠAĆ MIXING PADDLE INCLUDED	**DA/YES**
DUŽINA PRIKLJUČNOG KABLA CABLE LENGHT	**3 m**
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	**230-240V/ 50Hz**

1800 W



MJEŠAČ ZA BOJU
PAINT MIXER

PTQ086

SNAGA POWER	**2050 W**
BROJ OKRETAJA NO LOAD SPEED	**0-480 / 0-840 min^{-1}**
ELEKTRONSKA REGULACIJA ADJUSTABLE SPEED	**DA/YES**
PRIHVAT SPINDLE THREAD	**M14**
UKLJUČENI SPIRALNI MJEŠAĆI MIXING PADDLES INCLUDED	**DA/YES**
DUŽINA PRIKLJUČNOG KABLA CABLE LENGHT	**3 m**
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	**230-240V/ 50Hz**

2050 W




KRIŽNI LASERSKI NIVELIR
SELF-LEVELING LASER LEVEL

PTQ085	
VALNA DUŽINA LASERA LASER WAVE LENGHT	650 nm
SNAGA LASERA POWER OF LASER	1 mW
DOSEG SAMONIVELIRANJA SELF-LEVELING SCOPE	±6°
BRZINA SAMONIVELIRANJA SELF-LEVELING SPEED	≤7s
KLASA LASERA LASER CLASS	II
RADNA UDALJENOST OPERATIVE DISTANCE	≤10m
KUT ŠIRENJA SPREAD ANGLE	≤90°
HORIZONTALNA TOČNOST HORIZONTAL ACCURACY	±2mm/m
VERTIKALNA TOČNOST VERTICAL ACCURACY	±2mm/m
NAPAJANJE POWER SUPPLY	2 x AA BATERIJE 1,5V







AUTO START/STOP SISTEM HEPA FILTER
AUTO START/STOP SYSTEM HEPA FILTER

USISIVAČ MOKRO/SUHO
VACUUM CLEANER WET/DRY

PTQ090	
SNAGA POWER	1200 W
KAPACITET SPREMNIKA TANK CAPACITY	30 l
USISNA SNAGA SUCTION POWER	16 kPa
DUŽINA USISNOG CRIJEVA SUCTION HOSE LENGHT	3.5 m
UTIČNICA CONTANT POWER SOCKET	2000 W
SPREMNIK OD NEHRĐAJUČEG ČELIKA STAINLESS STEEL TANK	DA/YES
TELESKOPSKA USISNA CIJEV TELSCOPIC SHAFT	DA/YES
OTVOR ZA ISPUST VODE DRAINING FUNCTION	DA/YES
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz



1200 W



KOMPRESOR
COMPRESSOR

PTQ120

SNAGA POWER	**2KS/HP**
SPREMNIK ZRAKA TANK CAPACITY	**24 l**
PROTOK ZRAKA AIR DISPLACEMENT	**210 l/min**
MAX. TLAK ZRAKA MAX. PRESSURE	**8 bara**
BROJ OKRETAJA MOTORA ROTATING SPEED	**2850 min^{-1}**
DVIJE BRZE SPOJNICE TWO COUPLINGS	**DA/YES**
MANOMETAR MANOMETER	**DA/YES**
INDIKATOR ULJA OIL INDICATOR	**DA/YES**
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	**230-240V/ 50Hz**

2KS/HP



KOMPRESOR
COMPRESSOR

PTQ121

SNAGA POWER	**2KS/HP**
SPREMNIK ZRAKA TANK CAPACITY	**50 l**
PROTOK ZRAKA AIR DISPLACEMENT	**210 l/min**
MAX. TLAK ZRAKA MAX. PRESSURE	**8 bara**
BROJ OKRETAJA MOTORA ROTATING SPEED	**2850 min^{-1}**
DVIJE BRZE SPOJNICE TWO COUPLINGS	**DA/YES**
MANOMETAR MANOMETER	**DA/YES**
INDIKATOR ULJA OIL INDICATOR	**DA/YES**
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	**230-240V/ 50Hz**

2KS/HP



KOMPRESOR
COMPRESSOR

PTQ122

SNAGA POWER	**3KS/HP**
SPREMNIK ZRAKA TANK CAPACITY	**50 l**
PROTOK ZRAKA AIR DISPLACEMENT	**400 l/min**
MAX. TLAK ZRAKA MAX. PRESSURE	**8 bara**
BROJ OKRETAJA MOTORA ROTATING SPEED	**2850 min^{-1}**
DVIJE BRZE SPOJNICE TWO COUPLINGS	**DA/YES**
MANOMETAR MANOMETER	**DA/YES**
INDIKATOR ULJA OIL INDICATOR	**DA/YES**
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	**230-240V/ 50Hz**

3KS/HP



KOMPRESOR
COMPRESSOR

PTQ124

SNAGA POWER	**1KS/HP**
SPREMNIK ZRAKA TANK CAPACITY	**24 l**
PROTOK ZRAKA AIR DISPLACEMENT	**126 l/min**
MAX. TLAK ZRAKA MAX. PRESSURE	**8 bara**
BROJ OKRETAJA MOTORA ROTATING SPEED	**1420 min^{-1}**
BRZA SPOJNICA FAST COUPLING	**DA/YES**
MANOMETAR MANOMETER	**DA/YES**
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	**230-240V/ 50Hz**

1KS/HP



3KS/HP

KOMPRESOR
COMPRESSOR

PTQ123	
SNAGA POWER	3KS/HP
SPREMNIK ZRAKA TANK CAPACITY	100 l
PROTOK ZRAKA AIR DISPLACEMENT	400 l/min
MAX. TLAK ZRAKA MAX. PRESSURE	8 bara
BROJ OKRETAJA MOTORA ROTATING SPEED	1500 min^{-1}
DVIJE BRZE SPOJNICE TWO COUPLINGS	DA/YES
MANOMETAR MANOMETER	DA/YES
INDIKATOR ULJA OIL INDICATOR	DA/YES
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz



12V

PUNJAČ AKUMULATORA
BATTERY CHARGER

PTQ004	
NAPON PUNJENJA CHARGING VOLTAGE	12 V
ZA AKUMULATORE (MIN.-MAKS. Ah) SUITABLE FOR BATTERIES (MIN. - MAX. Ah)	3-120 Ah
MAKSIMALNA STRUJA PUNJENJA MAX CHARGING CURRENT	4 A
ZIMSKI MOD PUNJENJA WINTER MODE	DA / YES
MIKROPROCESORSKA KONTROLA MICROPROCESSOR CONTROLED	DA / YES
LED DISPLEJ LED DISPLAY	DA / YES
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz



12V

PUNJAČ AKUMULATORA
BATTERY CHARGER

PTQ006	
NAPON PUNJENJA CHARGING VOLTAGE	12 V
ZA AKUMULATORE (MIN.-MAKS. Ah) SUITABLE FOR BATTERIES (MIN. - MAX. Ah)	3-150 Ah
MAKSIMALNA STRUJA PUNJENJA MAX CHARGING CURRENT	6 A
AUTOMATSKO PUNJENJE AUTOMATIC CHARGING	DA/YES
MIKROPROCESORSKA KONTROLA MICROPROCESSOR CONTROLED	DA / YES
LED DISPLEJ LED DISPLAY	DA/YES
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

PRAKTIK TOOLS



PRAKTIK TOOLS plava linija ima u svom programu proizvode za povremene uradi sam majstore po izvrsnoj cijeni. Plava linija alata i uređaja ima jamstvo od dvije godine.

2 YEAR WARRANTY



KUTNA BRUSILICA
ANGLE GRINDER

PT2501	
SNAGA POWER	500 W
BROJ OKRETAJA NO LOAD SPEED	11000 min^{-1}
PROMJER DISKA DISC DIAMETER	115 min
NAVOJ VRETENA SPINDLE THREAD	M 14
DODATNA BOČNA RUČKA ADDITIONAL HANDLE	DA / YES
PODESIVI ŠTITNIK U VIŠE POLOŽAJA SAFETY GUARD	DA / YES
PRILOŽEN KLJUČ ZA IZMJENU DISKA SPANNER	DA / YES
BLOKADA OSOVINE SWITCH LOCK	DA / YES
DUŽINA PRIKLJUČNOG KABLA CABLE LENGHT	3 m
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

500W



KUTNA BRUSILICA
ANGLE GRINDER

PT2602	
SNAGA POWER	600 W
BROJ OKRETAJA NO LOAD SPEED	12000 min^{-1}
PROMJER DISKA DISC DIAMETER	115 mm
NAVOJ VRETENA SPINDLE THREAD	M 14
DODATNA BOČNA RUČKA ADDITIONAL HANDLE	DA / YES
PODESIVI ŠTITNIK U VIŠE POLOŽAJA SAFETY GUARD	DA / YES
PRILOŽEN KLJUČ ZA IZMJENU DISKA SPANNER	DA / YES
BLOKADA OSOVINE SWITCH LOCK	DA / YES
DUŽINA PRIKLJUČNOG KABLA CABLE LENGHT	3 m
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

600W

PRAKTIK TOOLS



KUTNA BRUSILICA
ANGLE GRINDER

PT2901	
SNAGA POWER	900 W
BROJ OKRETAJA NO LOAD SPEED	11000 min^{-1}
PROMJER DISKA DISC DIAMETER	125 min
NAVOJ VRETENA SPINDLE THREAD	M 14
DODATNA BOČNA RUČKA ADDITIONAL HANDLE	DA / YES
PODESIVI ŠTITNIK U VIŠE POLOŽAJA SAFETY GUARD	DA / YES
PRILOŽEN KLJUČ ZA IZMJENU DISKA SPANNER	DA / YES
DUŽINA PRIKLJUČNOG KABLA CABLE LENGHT	3 m
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

900W



KUTNA BRUSILICA
ANGLE GRINDER

PT2230	
SNAGA POWER	2000 W
BROJ OKRETAJA NO LOAD SPEED	6500 min^{-1}
PROMJER DISKA DISC DIAMETER	230 min
NAVOJ VRETENA SPINDLE THREAD	M 14
DODATNA BOČNA RUČKA ADDITIONAL HANDLE	DA / YES
PODESIVI ŠTITNIK U VIŠE POLOŽAJA SAFETY GUARD	DA / YES
PRILOŽEN KLJUČ ZA IZMJENU DISKA SPANNER	DA / YES
BLOKADA OSOVINE SWITCH LOCK	DA / YES
DUŽINA PRIKLJUČNOG KABLA CABLE LENGHT	3 m
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

2000W



600W

UDARNA BUŠILICA
IMPACT DRILL

PT3501	
SNAGA POWER	600 W
BROJ OKRETAJA NO LOAD SPEED	0-3000 min^{-1}
STEZNA GLAVA NA KLJUČ KEY CHUCK	13 mm
LIJEVO-DESNO LEFT-RIGHT	DA / YES
GRANIČNIK DUBINE DEPTH STOP	DA / YES
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz
KAPACITET BUŠENJA: DRILLING CAPACITY:	
METAL STEEL	13 mm
BETON CONCRETE	10 mm
DRVO WOOD	20 mm



710W

UDARNA BUŠILICA
IMPACT DRILL

PT3710	
SNAGA POWER	710 W
BROJ OKRETAJA NO LOAD SPEED	0-3200 min^{-1}
STEZNA GLAVA NA KLJUČ KEY CHUCK	13 mm
LIJEVO-DESNO LEFT-RIGHT	DA / YES
GRANIČNIK DUBINE DEPTH STOP	DA / YES
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz
KAPACITET BUŠENJA: DRILLING CAPACITY:	
METAL STEEL	13 mm
BETON CONCRETE	13 mm
DRVO WOOD	22 mm

PRAKTIK TOOLS



710W

UDARNA BUŠILICA
IMPACT DRILL

PT3711	
SNAGA POWER	710 W
BROJ OKRETAJA NO LOAD SPEED	0-3200 min^{-1}
BRZOSTEZNA GLAVA KEYLESS CHUCK	13 mm
LIJEVO-DESNO LEFT-RIGHT	DA / YES
GRANIČNIK DUBINE DEPTH STOP	DA / YES
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz
KAPACITET BUŠENJA: DRILLING CAPACITY:	
METAL STEEL	10 mm
BETON CONCRETE	13 mm
DRVO WOOD	25 mm



1050W

UDARNA BUŠILICA
IMPACT DRILL

PT31050	
SNAGA POWER	1050 W
BROJ OKRETAJA NO LOAD SPEED	0-3200 min^{-1}
STEZNA GLAVA NA KLJUČ KEY CHUCK	13 mm
LIJEVO-DESNO LEFT-RIGHT	DA / YES
GRANIČNIK DUBINE DEPTH STOP	DA / YES
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz
KAPACITET BUŠENJA: DRILLING CAPACITY:	
METAL STEEL	13 mm
BETON CONCRETE	16 mm
DRVO WOOD	30 mm





BUŠAČI ČEKIĆ
HAMMER DRILL

PT3620	
SNAGA POWER	620 W
BROJ OKRETAJA NO LOAD SPEED	0-1000 min^{-1}
BROJ UDARACA IMPACT RATE	0-4850 min^{-1}
PRIHVAT CHUCK TYPE	SDS PLUS
GRANIČNIK DUBINE DEPTH STOP	DA / YES
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz
KAPACITET BUŠENJA: DRILLING CAPACITY:	
METAL STEEL	13 mm
BETON CONCRETE	24 mm
DRVO WOOD	30 mm

620W







UDARNI ČEKIĆ BUŠILICA
HAMMER DRILL

PT3851	
SNAGA POWER	900 W
BROJ OKRETAJA NO LOAD SPEED	800 min^{-1}
BROJ UDARACA IMPACT RATE	4000 min^{-1}
PRIHVAT CHUCK TYPE	SDS PLUS
GRANIČNIK DUBINE DEPTH STOP	DA / YES
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz
KAPACITET BUŠENJA: DRILLING CAPACITY:	
METAL STEEL	13 mm
BETON CONCRETE	26 mm
DRVO WOOD	40 mm

900W





UDARNI ČEKIĆ BUŠILICA
HAMMER DRILL

PT31255	
SNAGA POWER	1250 W
BROJ OKRETAJA NO LOAD SPEED	0 - 850 min^{-1}
BROJ UDARACA IMPACT RATE	0 - 4000 min^{-1}
VCS - SUSTAV PROTIV VIBRACIJA VCS - VIBRATION CONTROL SYSTEM	DA / YES
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz
KAPACITET BUŠENJA: DRILLING CAPACITY:	
METAL STEEL	13 mm
BETON CONCRETE	32 mm
DRVO WOOD	40 mm

1250W







UDARNI ČEKIĆ BUŠILICA
HAMMER DRILL

PT31505	
SNAGA POWER	1500 W
BROJ OKRETAJA NO LOAD SPEED	260-870 min^{-1}
BROJ UDARACA IMPACT RATE	1200 - 4100 min^{-1}
PRIHVAT CHUCK TYPE	SDS PLUS
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

1500W



AKU ODVIJAČ
CORDELSS SCREWDRIVER

PT337	
NAPON RATED VOLTAGE	3,6 V
KAPACITET BATERIJE LI-ION BATTERY CAPACITY LI-ION	1.3 Ah
BROJ OKRETAJA ROTATION SPEED	180 min^{-1}
VRIJEME PUNJENJA CHARGING TIME	3-5 h
MAKISMALNI OKRETNI MOMENT MAX. TORQUE	3 Nm
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

3,6V





VIBRACIONA BRUSILICA
FINISHING SANDER

PT4136	
SNAGA POWER	150 W
BROJ OKRETAJA NO LOAD SPEED	12000 min^{-1}
DIMENZIJE OSNOVNE PLOČE SANDING SURFACE	90x187 mm
GUMIRANE RUČKE SOFT GRIP HANDLES	DA / YES
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

150W

ALUMINIJSKA BAZA, SISTEM “STEGE” ZA PAPIR
ALUMINIUM BASE, CLAMP SYSTEM FOR PAPER



VIBRACIONA BRUSILICA
FINISHING SANDER

PT4250	
SNAGA POWER	250 W
BROJ OKRETAJA NO LOAD SPEED	6000 - 11000 min^{-1}
DIMENZIJE OSNOVNE PLOČE SANDING SURFACE	90x187 mm
GUMIRANE RUČKE SOFT GRIP HANDLES	DA / YES
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

250W



EKSCENTAR BRUSILICA
ROTATING SANDER

PT4480	
SNAGA POWER	480 W
BROJ OKRETAJA NO LOAD SPEED	4000 - 14000 min^{-1}
DIMENZIJE OSNOVNE PLOČE SANDING SURFACE	Ø125 mm
ELEKTRONSKA REGULACIJA OKRETAJA ADJUSTABLE SPEED	DA / YES
GUMIRANE RUČKE SOFT GRIP HANDLES	DA / YES
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

480W



TRAČNA BRUSILICA
BELT SANDER

PT4800	
SNAGA POWER	800 W
BROJ OKRETAJA NO LOAD SPEED	0 - 300 m/min
DIMENZIJE BRUSNE TRAKE SANDING BELT SIYE	76x457 mm
ELEKTRONSKA REGULACIJA OKRETAJA ADJUSTABLE SPEED	DA / YES
GUMIRANE RUČKE SOFT GRIP HANDLES	DA / YES
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

800W



RUČNI CIRKULAR
CIRCULAR SAW

PT5121	
SNAGA POWER	1200 W
BROJ OKRETAJA NO LOAD SPEED	5000 min^{-1}
DIMENZIJA REZNE PLOČE SAW BLADE SIZE	Ø185 mm
KAPACITET REZANJA CUTTING CAPACITY	45° - 45 mm 90° - 65 mm
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

1200W



PILA LISIČJI REP
RECIPROCATING SAW

PT1710	
SNAGA POWER	710 W
BROJ OKRETAJA NO LOAD SPEED	0 - 2800 min^{-1}
OKRETNA RUČKA ROTATING HANDLE	DA / YES
KAPACITET REZANJA: DRILLING CUTTING:	
DRVO WOOD	110 mm
METAL STEEL	6 mm
PVC PVC	200 mm
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

710W



UBODNA PILA
JIG SAW

PT1451	
SNAGA POWER	450 W
BROJ OKRETAJA NO LOAD SPEED	3000 min^{-1}
PODESIVA OSNOVNA PLOČA ADJUSTABLE BASE	45° - 0° - 45°
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz
KAPACITET REZANJA: CUTTING CAPACITY:	
METAL STEEL	8 mm
DRVO WOOD	60 mm

450W



UBODNA PILA
JIG SAW

PT1650	
SNAGA POWER	650 W
BROJ OKRETAJA NO LOAD SPEED	0 - 3000 min^{-1}
PODESIVA OSNOVNA PLOČA ADJUSTABLE BASE	45° - 0° - 45°
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz
FUNKCIJA NJIHANJA PENDULUM FUNCTION	DA / YES
KAPACITET REZANJA: CUTTING CAPACITY:	
METAL STEEL	10 mm
DRVO WOOD	80 mm

650W



BLANJA
PLANER

PT6651	
SNAGA POWER	650 W
BROJ OKRETAJA NO LOAD SPEED	16000 min^{-1}
ŠIRINA REZNOG NOŽA PLANING WIDTH	82 mm
DUBINA REZA PLANING DEPTH	0 - 2 mm
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

650W



GLODALO
ROUTER

PT6120	
SNAGA POWER	1200 W
BROJ OKRETAJA NO LOAD SPEED	11500 - 30000 min^{-1}
ELEKTRONSKA REGULACIJA ADJUSTABLE SPEED	DA / YES
PROMJER STEZNE ČAHURE COLLET	Ø8 mm
PRILOŽEN DODATNI PRIBOR ADDITIONAL ACCESSORIES	DA / YES
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

1200W

DODACI 42 KOMADA
ACCESSORIES 42 PCS







MINI BRUSILICA
ROTARY MULTITOOL

PT2136	
SNAGA POWER	135 W
BROJ OKRETAJA NO LOAD SPEED	10000 - 32000 min^{-1}
ELEKTRONSKA REGULACIJA ADJUSTABLE SPEED	DA / YES
PROMJER STEZNE ČAHURE COLLET	Ø 2,3-3,2 mm
PRILOŽEN DODATNI PRIBOR ADDITIONAL ACCESSORIES	DA / YES
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

135W

DODACI 6 KOMADA
ACCESSORIES 6 PCS







VIŠENAMJENSKI ALAT
OSCILLATING MULTITOOL

PT2260	
SNAGA POWER	260 W
BROJ OKRETAJA NO LOAD SPEED	15000 - 22000 min^{-1}
ELEKTRONSKA REGULACIJA ADJUSTABLE SPEED	DA / YES
PRILOŽEN DODATNI PRIBOR ADDITIONAL ACCESSORIES	DA / YES
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

260W

PRAKTIK TOOLS



FEN ZA VRUĆI ZRAK
HEAT GUN

PT8200	
SNAGA POWER	2000 W
TEMPERATURA TEMPERATURE SETTING	350-600°C
PROTOK ZRAKA AIR FLOW	350-550 l/min
PRILOŽEN DODATNI PRIBOR ADDITIONAL ACCESSORIES	DA / YES
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

2000W



PIŠTOLJ ZA BOJANJE
PAINT SPRAY GUN

PT8010	
SNAGA POWER	100 W
MAKSIMALNI PROTOK FLOW SPEED	250 ml/min
KAPACITET SPREMNIKA TANK CAPACITY	700 ml
REGULACIJA PROTOKA FLOW CONTROL	DA / YES
PRILOŽEN DODATNI PRIBOR ADDITIONAL ACCESSORIES	DA / YES
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

100W



MJEŠAČ ZA BOJU
PAINT MIXER

PT7120	
SNAGA POWER	1200 W
BROJ OKRETAJA NO LOAD SPEED	0 - 700 min^{-1}
ELEKTRONSKA REGULACIJA ADJUSTABLE SPEED	DA / YES
PRILOŽEN DODATNI PRIBOR ADDITIONAL ACCESSORIES	DA / YES
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

1200W



BRUSILICA ZA ZIDOVE
DRYWALL SANDER

PT4750	
SNAGA POWER	710 W
MAKSIMALNI PROTOK FLOW SPEED	1000 - 2200 min^{-1}
PROMJER BRUŠENJA ANDING SURFACE	Ø225 mm
DUŽINA LENGHT	160 cm
LED SVIJETLO LED LIGHT	DA / YES
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

710W

PRAKTIK TOOLS

FUNKCIJA KONSTANTNE SNAGE
CONSTANT POWER FUNCTION



POLIRKA ZA AUTO
ANGLE POLISHER

PT2120	
SNAGA POWER	1200 W
MAKSIMALNI PROTOK FLOW SPEED	1000 - 3000 min^{-1}
PROMJER DISKA DISC DIAMETER	Ø180 mm
ELEKTRONSKA REGULACIJA ADJUSTABLE SPEED	DA / YES
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

1200W





STOLNA BRUSILICA
BENCH GRINDER

PT7150	
SNAGA POWER	150 W
BROJ OKRETAJA NO LOAD SPEED	2950 min^{-1}
PROMJER DISKA GRINDING STONE DIAMETER	Ø150x 16x12,7 mm
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

150W



STOLNA BRUSILICA - MOKRO/ SUHO
BENCH GRINDER - WET/DRY

PT7156	
SNAGA POWER	250 W
BROJ OKRETAJA NO LOAD SPEED	2950 min^{-1}
PROMJER DISKA SUHO GRINDING STONE DIAMETER DRY	Ø150x 20x12,7 mm
PROMJER DISKA MOKRO GRINDING STONE DIAMETER WET	Ø200x 40x16 mm
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

250W



STOLNA TRAČNA BRUSILICA
BELT SANDER / BENCH GRINDER

PT7157	
SNAGA POWER	250 W
BROJ OKRETAJA NO LOAD SPEED	2950 min^{-1}
PROMJER DISKA GRINDING STONE DIAMETER	Ø150x20x Ø12,7 mm
BRUSNI REMEN SANDING BELT	50x686 mm
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

250W




STOLNA TRAČNA BRUSILICA
BELT SANDER / DISC SANDER

PT7158	
SNAGA POWER	375 W
BROJ OKRETAJA NO LOAD SPEED	1440 min^{-1}
PROMJER DISKA DISK DIAMETER	Ø150 mm
BRUSNI REMEN SANDING BELT	100x914 mm
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

375W





KONZOLNA DIZALICA
HOIST

	PT9105	PT9103	PT9104	PT9102
SNAGA POWER	500 W S3 20%	1000 W S3 20%	1000 W S3 20%	1600 W S3 20%
VISINA DIZANJA / LIFTING HEIGHT				
JEDNA KUKA HOOK	12 m	12 m	12 m	12 m
DVIJE KUKE HOOK + PULLEY	6 m	6 m	6 m	6 m
NOSIVOST DIZANJA / LIFTING WEIGHT				
JEDNA KUKA HOOK	125 kg	200 kg	300 kg	500 kg
DVIJE KUKE HOOK + PULLEY	250 kg	400 kg	600 kg	1000 kg
DEBLJINA ČELIČNOG UŽETA STEEL CABLE THICKNESS	Ø 3.0 mm	Ø 4.0 mm	Ø 4.5 mm	Ø 6.0 mm
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230 - 240V/ 50Hz	230 - 240V/ 50Hz	230 - 240V/ 50Hz	230 - 240V/ 50Hz







APARAT ZA VARENJE PVC CIJEVI
PLASTIC PIPE WELDER

PT7050	
SNAGA POWER	800 W
TEMPERATURA RADA WORKING TMEP	0-300 °C
PROMJER NASTAVAKA WELDING SLEEVES	Ø20/ 25 / 32 / 40 mm
ZAGRIJAVANJE HEATING TIME	10 min
TERMOSTATSKA REGULACIJA THERMOSTATIC REGULATION	DA / YES
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

800W







APARAT ZA VARENJE PVC CIJEVI
PLASTIC PIPE WELDER

PT7051	
SNAGA POWER	2660 W
TEMPERATURA RADA WORKING TMEP	0-300 °C
PROMJER NASTAVAKA WELDING SLEEVES	Ø 16 / 20 / 25 / 32 / 40 / 50 / 63 mm
ZAGRIJAVANJE HEATING TIME	10 min
TERMOSTATSKA REGULACIJA THERMOSTATIC REGULATION	DA / YES
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

2660W



PUNJAČ AKUMULATORA
BATTERY CHARGER

	PT104	PT108	PT112
NAPON PUNJENJA CHARGING VOLTAGE	12 V	6 V / 12 V	6 V / 12 V
STRUJA PUNJENJA CHARGING CURRENT	4 A	8 A	12 A
ZA AKUMULATORE KAPACITETA FOR BATTERIES CAPACITY	12 - 48 Ah	9 - 112 Ah	9 - 160 Ah
BRZINA PUNJENJA CHARGING TIME		BRZO/SPORO FAST/SLOW	BRZO/SPORO FAST/SLOW
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230 - 240V/50Hz	230 - 240V/50Hz	230 - 240V/50Hz

UKLJUČENO: 2 PATRONE
INCLUDED: 2 GLUE STICKS



PIŠTOLJ ZA VRUĆE LJEPLJENJE
HOT GLUE GUN

PT8220	
SNAGA POWER	40 W
PROMJER PATRONE GLUE STICK	Ø11,2 mm
ZAGRIJAVANJE HEATING TIME	3-4 min
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

40W

UKLJUČENO: 6 PATRONA
INCLUDED: 6 GLUE STICKS



PIŠTOLJ ZA VRUĆE LJEPLJENJE
HOT GLUE GUN

PT8225	
SNAGA POWER	80 W
PROMJER PATRONE GLUE STICK	Ø11,2 mm
ZAGRIJAVANJE HEATING TIME	2-3 min
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz


80W



PRIJENOSNI KOMPRESOR
PORTABLE COMPRESSOR

PT0215	
SNAGA POWER	1100 W
PROTOK ZRAKA AIR DISPLACEMENT	180 l/min
MAX. TLAK ZRAKA MAX. PRESSURE	8 bara
BROJ OKRETAJA MOTORA ROTATING SPEED	3550 min^{-1}
BRZA SPOJNICA FAST COUPLING	DA / YES
PRIBOR ACCESSORIES	DA / YES
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

1100W



LEMILICA
SOLDERING IRON

	PT830	PT860	PT870
SNAGA POWER	30 W	60 W	100 W
METALNI STALAK IRON STAND	DA / YES	DA / YES	DA / YES
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230 - 240V/50Hz	230 - 240V/50Hz	230 - 240V/50Hz



USISIVAČ ZA PEPEO
ASH CLEANER

PT8001	
SNAGA POWER	1200 W
KAPACITET SPREMNIKA TANK CAPACITY	20 l
SPREMNIK OD ČVRSTOG ČELIKA STRONG STEEL TANK	DA / YES
HEPA FILTER HEPA FILTER	DA / YES
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

1200W



USISIVAČ ZA PEPEO
ASH CLEANER

PT8002	
SNAGA POWER	1000 W
KAPACITET SPREMNIKA TANK CAPACITY	20 l
SPREMNIK OD ČVRSTOG ČELIKA STRONG STEEL TANK	DA / YES
FILTER VREĆICA DOUBLE LAYER FILTER BAG	DA / YES
FUNKCIJA PUHANJA BLOW FUNCTION	DA / YES
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

1000W



STOLNA KRUŽNA PILA S POSTOLJEM
TABLE SAW

PT5125	
SNAGA POWER	2000 W
BROJ OKRETAJA NO LOAD SPEED	4800 min^{-1}
PROMJER LISTA PILE SAW BLADE	Ø250x30 mm
BROJ ZUBA NUMBER OF SAW TEETH	24
RASPON ZAKRETANJA REZNE PLOČE SWIVELING RANGE OF SAW BLADE	45°
MAKSIMALNA VISINA REZA NA 90° MAX. CUTTING HEIGHT AT 90°	87 mm
MAKSIMALNA VISINA REZA NA 45° MAX. CUTTING HEIGHT AT 45°	55 mm
VELIČINA STOLA TABLE SIZE	546x630 mm
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

2000W



POTEZNA PREKLOPNA PILA
MITRE SAW

PT5126	
SNAGA POWER	1500 W
BROJ OKRETAJA NO LOAD SPEED	5000 min^{-1}
PROMJER LISTA PILE SAW BLADE	Ø210x30 mm
BROJ ZUBA NUMBER OF SAW TEETH	24
KOSI REZ MITRE CUT	45° - 45°
RASPON ZAKRETANJA SWIVELING RANGE	45° - 45°
ŠIRINA REZA 90° x 90° CUTTING WIDTH 90° x 90°	305x70 mm
ŠIRINA REZA 45° x 90° CUTTING WIDTH 45° x 90°	215x70 mm
ŠIRINA REZA 90° x 45° CUTTING WIDTH 90° x 45°	305x35 mm
ŠIRINA REZA 45° x 45° CUTTING WIDTH 45° x 45°	215x35 mm
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

1500W



STUPNA BUŠILICA
DRILL PRESS

PT9300	
SNAGA POWER	300 W
KAPACITET BUŠENJA MAX. DRILLING CAPACITY	13 mm
HOD SVRDLA SPINDLE TRAVEL	50 mm
BROJ BRZINA NUMBER OF SPEEDS	5
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

300W



STUPNA BUŠILICA
DRILL PRESS

PT9630	
SNAGA POWER	630 W
KAPACITET BUŠENJA MAX. DRILLING CAPACITY	16 mm
HOD SVRDLA SPINDLE TRAVEL	60 mm
BROJ BRZINA NUMBER OF SPEEDS	5
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

630W



TRAČNA PILA
BAND SAW

PT5127	
SNAGA POWER	350 W
BRZINA LISTA PILE SAW BELT SPEED	1500 min^{-1}
MAX DUBINA REZA MAX CUTTING WIDTH	200 mm
KOSI REZ TABLE TILT	0 - 45°
VISINA REZA 45° CUTTING HEIGHT AT 45°	45° - 50 mm
VISINA REZA 90° CUTTING HEIGHT AT 90°	90° - 80 mm
VELIČINA STOLA TABLE SIZE	300x300 mm
PRIKLJUČAK ZA USISAVANJE PRAŠINE SUCTION ADAPTER DIAMETER	Ø 36 mm
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

350W



AGREGAT
POWER GENERATOR

PT721	
SNAGA POWER	2,9 KS/HP
RADNA IZLAZNA SNAGA RATED OUTPUT	900 W
MAKSIMALNA IZLAZNA SNAGA MAX. OUTPUT	1000 W
BROJ OKRETAJA NO LOAD SPEED	3000 min^{-1}
KAPACITET SPREMNIKA ZA GORIVO FUEL TANK CAPACITY	6 l
BROJ UTIČNICA NUMBER OF SOCKETS	2 x 230 V
KONSTANTNI RAD SA SPREMNIKOM GORIVA MAX. RUNTIME	9 h
12V UTIČNICA 12V SOCKET	DA / YES
GORIVO FUEL	BENZIN UNLEADED GASOLINE

2.9KS/HP





AGREGAT
POWER GENERATOR

PT7301	
SNAGA POWER	7 KS/HP
RADNA IZLAZNA SNAGA RATED OUTPUT	2800 W
MAKSIMALNA IZLAZNA SNAGA MAX. OUTPUT	3000 W
BROJ OKRETAJA NO LOAD SPEED	3000 min^{-1}
KAPACITET SPREMNIKA ZA GORIVO FUEL TANK CAPACITY	15 l
BROJ UTIČNICA NUMBER OF SOCKETS	2 x 230 V
KONSTANTNI RAD SA SPREMNIKOM GORIVA MAX. RUNTIME	10 h
12V SPOJNE STEZALJKE 12V CONNECTING CLAMPS	DA / YES
GORIVO FUEL	BENZIN UNLEADED GASOLINE

7KS/HP

ELEKTIČNI STARTER
ELECTRIC START



13KS/HP

AGREGAT
POWER GENERATOR

PT7551	
SNAGA POWER	13 KS/HP
RADNA IZLAZNA SNAGA RATED OUTPUT	5000 W
MAKSIMALNA IZLAZNA SNAGA MAX. OUTPUT	5500 W
BROJ OKRETAJA NO LOAD SPEED	3000 min^{-1}
KAPACITET SPREMNIKA ZA GORIVO FUEL TANK CAPACITY	25 l
BROJ UTIČNICA NUMBER OF SOCKETS	2 x 230 V
KONSTANTNI RAD SA SPREMNIKOM GORIVA MAX. RUNTIME	10 h
12V SPOJNE STEZALJKE 12V CONNECTING CLAMPS	DA / YES
GORIVO FUEL	BENZIN UNLEADED GASOLINE



VISOKO TLAČNI PERAČ
HIGH PRESSURE CLEANER

PT91400	
SNAGA POWER	1400 W
MAKSIMALNI TLAK MAX. PRESSURE	105 BAR
MAKSIMALNI PROTOK VODE MAX. WATER FLOW	408 l/h
MATERIJALI PUMPE PUMP MATERIAL	ALUMINIJ / ALUMINIUM
AUTOMATSKI START/STOP SISTEM AUTOMATIC STAR/STOP SYSTEM	DA / YES
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

ELEKTIČNI STARTER
ELECTRIC START



10KS/HP

DIZEL AGREGAT
DIESEL POWER GENERATOR

PT7501D	
SNAGA POWER	10 KS/HP
RADNA IZLAZNA SNAGA RATED OUTPUT	4400 W
MAKSIMALNA IZLAZNA SNAGA MAX. OUTPUT	4800 W
BROJ OKRETAJA NO LOAD SPEED	3000 min^{-1}
KAPACITET SPREMNIKA ZA GORIVO FUEL TANK CAPACITY	15 l
BROJ UTIČNICA NUMBER OF SOCKETS	1 x 230 V 1 x 400 V
KONSTANTNI RAD SA SPREMNIKOM GORIVA MAX. RUNTIME	9 h
12V SPOJNE STEZALJKE 12V CONNECTING CLAMPS	DA / YES
GORIVO FUEL	DIZEL DIESEL



VISOKO TLAČNI PERAČ
HIGH PRESSURE CLEANER

PT92200	
SNAGA POWER	2200 W
MAKSIMALNI TLAK MAX. PRESSURE	165 BAR
MAKSIMALNI PROTOK VODE MAX. WATER FLOW	468 l/h
MATERIJALI PUMPE PUMP MATERIAL	ALUMINIJ / ALUMINIUM
AUTOMATSKI START/STOP SISTEM AUTOMATIC STAR/STOP SYSTEM	DA / YES
TELESKOPSKA DRŠKA TELESCOPIC HANDLE	DA / YES
TURBO MLAZNICA TURBO NOZZLE	DA / YES
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

PRAKTIK TOOLS



PRAKTIK WATER linija u svom programu ima asortiman potopnih pumpi, dubinskih pumpi, hidropaka i vrtnih pumpi.



PUMPA DUBINSKA
DEEP WELL PUMP

PW6403	
SNAGA POWER	300 W
PROTOK MAX. DELIVERY RATE	1080 l/h
MAKSIMALNA ISPORUKA VODE MAX. DELIVERY HEIGHT	60 m
MAKSIMALNA TEMPERATURA VODE MAX. WATER TEMPERATURE	35°C
DUŽINA KABLA CABLE LENGHT	10 m
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

300W



POTOPNA PUMPA
SUBMERSIBLE PUMP

PW6400	
SNAGA POWER	400 W
PROTOK MAX. DELIVERY RATE	7500 l/h
TIP VODE WATER TYPE	PRLJAVA/ DIRTY
DUBINA URANJANJA SUBMERSIBLE DEPTH	do 5 m
MAKSIMALNA TEMPERATURA VODE MAX. WATER TEMPERATURE	35°C
DUŽINA KABLA CABLE LENGHT	10 m
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

400W



POTOPNA PUMPA
SUBMERSIBLE PUMP

PW6402	
SNAGA POWER	1100 W
PROTOK MAX. DELIVERY RATE	16000 l/h
TIP VODE WATER TYPE	PRLJAVA/ DIRTY
KUČIŠTE OD INOXA INOX HOUSING	DA/YES
DUBINA URANJANJA SUBMERSIBLE DEPTH	7 m
MAKSIMALNA ISPORUKA VODE MAX. DELIVERY HEIGHT	9,5 m
MAKSIMALNA TEMPERATURA VODE MAX. WATER TEMPERATURE	35°C
DUŽINA KABLA CABLE LENGHT	10 m
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

1100W



POTOPNA PUMPA
SUBMERSIBLE PUMP

PW6405	
SNAGA POWER	1300 W
PROTOK MAX. DELIVERY RATE	23000 l/h
TIP VODE WATER TYPE	PRLJAVA/ DIRTY
DUBINA URANJANJA SUBMERSIBLE DEPTH	5 m
MAKSIMALNA ISPORUKA VODE MAX. DELIVERY HEIGHT	10 m
MAKSIMALNA TEMPERATURA VODE MAX. WATER TEMPERATURE	35°C
MAKSIMALNA VELIČINA STRANIH ČESTICA MAX. SIZE OF FOREIGN PARTICLES	40 mm
DUŽINA KABLA CABLE LENGHT	10 m
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

1300W



VRTNA PUMPA
GARDEN PRESSURE PUMP

PW6404	
SNAGA POWER	800 W
PROTOK MAX. DELIVERY RATE	3000 l/h
MAKSIMALNA VISINA DOSTAVE VODE MAX. LIFT	40 m
MAKSIMALNA USISNA VISINA MAX. SUCTION LEVEL	7 m
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

800W



HIDROPAK
PRESSURE PUMP

PW6800	
SNAGA POWER	800 W
PROTOK MAX. DELIVERY RATE	3000 l/h
DUBINA USISA MAX. SUCTION LEVEL	do 7 m
MAKSIMALNA ISPORUKA VODE MAX. DELIVERY HEIGHT	40 m
MAKSIMALNI RADNI TLAK RATED PRESSURE	4,4 bara
MAKSIMALNA TEMPERATURA VODE MAX. WATER TEMPERATURE	35°C
DUŽINA KABLA CABLE LENGHT	1.3 m
NAPON/FREKVENCIJA VOLTAGE/FREQUENCY	230-240V/ 50Hz

800W


PRAKTIK TOOLS
FLEXPOWER
Q LINE
4 GODINE GARANCIJA
PRAKTIK TOOLS


Q LINE
4 YEAR WARRANTY
PRAKTIK TOOLS
FLEXPOWER
LITHIUM-ION
PT4480
PT3180LJ
PT4250


PRAKTIK WATER
CLEAN WATER
DIRTY WATER
PRAKTIK WATER

SJEDIŠTE / HEADQUARTERS:
LIKOS d.o.o.
Karlovačka cesta 2E
10020 Zagreb, HR
tel: +385 1 6539 878 / fax: +385 1 6539 880
e-mail: likos@likos.hr

PRAKTIK TOOLS SERVISNI CENTAR / SERVICE CENTER:
Karlovačka cesta 2E
10020 Zagreb, HR
Tel: +385 1 6539 875
e-mail: servis@likos.hr



Zadržavamo pravo na tehnićke promjene.
Ne preuzimamo odgovornost za tiskarske pogreške.